

96.01.23

Allstar (R)

No Rinse Sanitizer

Guarantee:

n-Alkyl (5% C12,60% C14, 30% C16,5% C18) dimethyl benzyl
ammonium chlorides.....5%
n-Alkyl (68% C12, 32% C14) dimethyl ethylbenzyl
ammonium chlorides.....5%

DIN 02153181

REGISTRATION NO. 24264 PEST CONTROL PRODUCTS ACT

COMMERCIAL

READ THE LABEL BEFORE USING

NET CONTENTS: 3.8 L

Manufactured by:
Unisource Canada Inc.
1475 Courtneypark Drive East
Mississauga, Ontario L5T 2R1

For chemical emergencies only, call:
Infotrac: 1-800-535-5053 (US)
Canutec: 1-613-996-6666 (Canada)

DIRECTIONS FOR USE

DISINFECTION - To disinfect pre-cleaned, inanimate, hard surfaces apply this product with mop, cloth, sponge or coarse (trigger) spray so as to wet all surfaces thoroughly. Allow to remain wet for 10 minutes, then rinse thoroughly. Prepare a fresh solution for each use.

DILUTION RATES:

GENERAL DISINFECTION - Add 18 mL of this product per 4 Litres of water for disinfection against Staphylococcus aureus, Salmonella

chloeraesuis, Listeria monocytogenes, and Yersinia enterocolitica.

HOSPITAL DISINFECTION - Add 22 mL of this product per 4 Litres of water for disinfection against Pseudomonas aeruginosa.

MILDEWSTAT - To control mold and mildew on pre-cleaned, hard, non-porous surfaces add 23 mL of this product per Litre of water. Apply solution with a cloth, mop, or sponge making sure to wet all surfaces completely. Let air dry. Prepare a fresh solution for each use. Repeat application at weekly intervals or when mildew growth appears.

EFFICACY TESTS HAVE DEMONSTRATED THAT THIS PRODUCT IS AN EFFECTIVE BACTERICIDE AND VIRUCIDE IN THE PRESENCE OF ORGANIC SOIL (5% BLOOD SERUM).

SANITIZATION - For use in restaurants, dairies, food processing plants, and bars. When used as directed this product is an effective sanitizer against Escherichia coli, Yersinia enterocolitica, and Staphylococcus aureus.

Remove all gross food particles and soil from areas which are to be sanitized with good detergent, pre-flush, pre-soak or prescrape treatment. Rinse with a potable water rinse. To sanitize pre-cleaned and potable water-rinsed, non-porous, food contact surfaces, prepare a 200 ppm active quaternary solution by adding 8 mL of this product to 4 Litres of water.

To sanitize immobile items such as tanks, chopping blocks and counter tops, flood the area with 200 ppm active quaternary solution for at least 60 seconds making sure to wet all surfaces completely. Remove, drain the use solution from the surface and air dry. Prepare a fresh solution daily or more frequently as soil is apparent.

To sanitize mobile items such as drinking glasses and eating utensils, immerse in a 200ppm active quaternary solution for at least 60 seconds making sure to immerse completely. Remove, drain the used solution from the surface and air dry. Prepare a fresh solution daily or more frequently as soil is apparent.

When used for sanitization of previously cleaned food equipment or food contact items, limit the active quaternary to 200 ppm. NO POTABLE WATER RINSE IS REQUIRED.

This product is an effective sanitizer when diluted in water up to 750 ppm hardness (CaCO₃).

To sanitize previously cleaned food-grade eggs in shell egg and egg product processing plants, spray with a solution of 8 mL of this product in 4 Litres of warm water (200 ppm quat). The solution should be warmer than the eggs, but not to exceed 54 deg C. Wet eggs thoroughly and allow to drain. Eggs to be stored following treatment need not be rinsed. Eggs sanitized with this product shall be subjected to a potable water rinse if they are to be broken immediately for use in the manufacture of egg products. Eggs should be reasonably dry before casing or

breaking. The solution should not be reused for sanitizing eggs.
PRECAUTIONS - KEEP OUT OF REACH OF CHILDREN.

WARNING: Skin and eye irritant. Harmful if swallowed. Do not mix with any other chemical. Avoid contact with undiluted product. Avoid contamination of food. Do not store in food processing or food storage areas.

FIRST AID - If in contact with eyes or skin, flush thoroughly with water for 15 minutes. For eye contact, get medical attention. If swallowed, drink two or three glasses of milk or water. Call a physician or poison control centre immediately.

NOTICE TO USER:

This control product is to be used only in accordance with the directions on this label. It is an offence under the Pest Control Products Act to use a control product under unsafe conditions.

TOXICOLOGICAL INFORMATION - Probable mucosal damage may contraindicate the use of gastric lavage.

DISPOSAL:

1. Rinse the emptied container thoroughly and add the rinsings to the treatment site.
2. Follow provincial instructions for any required additional cleaning of the container prior to its disposal or reconditioning.
3. Dispose of the container in accordance with provincial requirements.
4. For information on the disposal of unused, unwanted product and the cleanup of spills, contact the regional office of Environmental Protection, Environment Canada.
5. For small spills. Recover free liquid. Soak up residue with solids absorbent. DO NOT FLUSH INTO SURFACE STREAMS. INFORM ENVIRONMENT CANADA AS IN #4.

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))