

31-MAR-2004

14-MAR-2007 Allergen update

Poulins
RAT & MOUSE POISON

CONTAINS: WARFARIN & SULFAQUINOXILINE

READ THE LABEL
BEFORE USING

COMMERCIAL
NET CONTENTS
4.54 kg or 2.27 kg or 454 g

GUARANTEE:
WARFARIN 0.025%
SULFAQUINOXILINE 0.025%

REGISTRATION NO.

8718

PEST CONTROL PRODUCTS ACT

COPYRIGHT 1963

POULIN'S CHEMICALS LIMITED
24 Marion Place, Winnipeg, Manitoba R2H 0S9

Update

Warning, contains the allergen wheat.

DIRECTIONS FOR USE: FOR RATS (*Rattus rattus*): Place 100 to 500 g of bait in dry containers next to burrows, in run ways, or where rats are accustomed to feed. Assure an uninterrupted supply of bait for a period of not less than 12 days and continue baiting until all signs of feeding have stopped. Replace stale, damp or mouldy baits with fresh baits.

FOR MICE (*Mus Musculus*): Place 10 to 50 g amounts of bait in shallow containers where mice or signs of mice have been. Bait stations at intervals of 3 to 5 m are recommended. Assure an uninterrupted supply of not less than 12 days.

FOOD PROCESSING PLANTS (Feed, Food, Non Feed, Non Food): In food processing plants, use only when plants is not in operation. Remove or cover all food, packaging materials and utensils before placing baits. Remove all baits and dead rodents before re-use of the plant for food processing.

STORAGE AND DISPOSAL: Do not contaminate water, food or feed by storage or disposal.

STORAGE: Store only in original container in a dry place inaccessible to children and pets.

DISPOSAL: Dispose of stale bait and dead rodents in accordance with local requirements.

1. Follow provincial instruction for any required additional cleaning of the container prior to its disposal.
2. Make the empty container unsuitable for further use.
3. Dispose of the container in accordance with provincial requirements.
4. For information on the disposal on unused, unwanted product, contact the manufacturer or the provincial regulatory agency. Contact the manufacturer and the provincial regulatory agency in case of a spill, and for clean-up of spills.

PRECAUTIONS: KEEP OUT OF REACH OF CHILDREN. Protect children, pets and domestic animals from bait. If swallowed by humans, domestic animals, or pets this material may reduce the clotting ability of the blood and cause bleeding.

FIRST AID: Call a doctor or poison control centre in case of accident. In case baits are accidentally eaten place finger at back of throat to induce vomiting and repeat until vomit fluid is clear. Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

***** CALL DOCTOR IMMEDIATELY *****

TOXICOLOGICAL INFORMATION: Vitamin K₁ in the form of intravenous, intramuscular or subcutaneous injections, or by oral ingestion are suggested remedial treatments for anticoagulant poisoning. The severity of the case measured by establishing prolonged prothrombin times (P.T.) will determine appropriate therapy. Monitoring P.T. will indicate the necessity of repeated treatments.

NOTICE TO USER: This control product is to be used only in accordance with the directions on this label. It is an offence under the Pest Control Products Act to use a control product under unsafe conditions.

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.