

93.01.22

CB(TM)

SYSTEM 22

PURGE(TM)

BAYGON

crack & crevice

PROFESSIONAL INSECTICIDE

COMMERCIAL

KILLS: Cockroaches, Spiders, Ticks, Earwigs, Crickets, Sowbugs, Millipedes, Centipedes, Booklice, Silverfish, Ants, Grain Weevils, Flour Beetles, Chocolate Moths, Drugstore Beetles, Boxelder Bugs, Elm Leaf Beetles, Clover Mites, Cluster Flies, and Carpenter Ants

FOR USE IN Hospitals, Supermarkets, Motels, Hotels, Homes, Transportation Equipment (Buses, Boats, Ships, Trains, Trucks, Planes), Utilities, Meat Packing and Food Handling Establishments, Schools, Warehouses, Restaurants and other Commercial Buildings

READ THE LABEL BEFORE USING

GUARANTEE:

Propoxur.....2.00%

BAYGON is a reg. TM of the Parent Company
Farben Fabriken Bayer GmpH. Germany.

REGISTRATION NO. 22757
PEST CONTROL PRODUCTS ACT

Manufactured by WATERBURY COMPANIES, INC.
P.O. Box 1812, Waterbury, CT 06722 USA
Product of USA

CAUTION FLAMMABLE

Net Contents 851 g

DIRECTIONS FOR USE

This insecticide is for use only with injection tube and for injecting into cracks and crevices where insects may be hiding, living and breeding. Place injector tip 1.3 cm into cracks, crevices, holes and other small openings where insects may be a problem. Release approximately 1 second spray per spot. In serious infestations, if possible, place spots approximately 0.3 meters apart. In light infestations or preventative treatment, place spots approximately 1 meter apart. See the additional directions below for effective control of specified insects.

CRAWLING PESTS: Cockroaches, Spiders, Ticks, Earwigs, Crickets, Sowbugs, Millipedes, Centipedes - Spray into hiding places such as cracks and crevices, moist areas, openings around pipes and sinks, under refrigerators, behind baseboards, coffee makers, meter boxes and manholes. Spray directly on insects in these locations when possible. Repeat as necessary.

BOOKLICE & SILVERFISH: Spray cracks and crevices in baseboards, doorframes, bookcases and storage areas. Spray directly on insects in these locations when possible. Repeat as necessary.

ANTS: Spray onto trails, nests and points of entry around doors, windows, structural cracks and crevices. Spray directly on insects in these locations when possible. Repeat as necessary.

GRAIN WEEVILS, FLOUR BEETLES, CHOCOLATE MOTHS, DRUGSTORE BEETLES (in exposed adult and larval stages) and hibernating stages of BOXELDER BUGS, ELM LEAF BEETLES, CLUSTER FLIES AND CLOVER MITES: Contact as many insects as possible when treating infested areas such as cracks, crevices, in wall voids, around windows and doorframes, under siding, in machinery, and in dark secluded areas. Repeat as necessary.

Localized treatment of wood-destroying insect: CARPENTER ANTS - Locate source of infestation. Inject 5-10 seconds spray into insect tunnels and cavities.

APPLICATION WITHIN FOOD AREAS OF FOOD HANDLING ESTABLISHMENTS

Limited to Crack & Crevice Treatment Only. Apply a small amount of material directly into cracks and crevices such as expansion joints between different elements of construction or between equipment bases and the floor, wall voids, motor housing, junction boxes or switch boxes, conduits or hollow equipment legs where insects hide. Care should be taken to avoid depositing the product onto exposed surfaces or introducing the material into

the air. Avoid contamination of food or food processing surfaces.

PRECAUTIONS: KEEP OUT OF REACH OF CHILDREN. Harmful if swallowed, inhaled, or absorbed through the skin. Avoid breathing of spray mist and provide adequate ventilation of area being treated. Contact with skin, eyes, or clothing should also be avoided. Wash thoroughly after using. Avoid contamination of food, utensils, and food preparation areas. Should illness occur, get prompt medical aid. TOXICOLOGICAL INFORMATION: Atropine Sulfate is antidotal.

FIRST AID: If Inhaled: Remove victim to fresh air. Apply artificial respiration if indicated.
If Swallowed: Call a physician or Poison Control Center. Induce vomiting by touching back of throat with finger. Repeat until vomit fluid is clear. Do not induce vomiting or give anything by mouth to an unconscious person.
If on Skin: Remove contaminated clothing and wash affected areas with soap and water.
If in Eyes: Flush eyes with plenty of water. Call a physician immediately.

ENVIRONMENTAL HAZARDS: This product is toxic to fish and birds. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on the label.

PHYSICAL OR CHEMICAL HAZARDS: Contents under pressure. Do not puncture or incinerate container. Do not use or store near heat or open flame. Exposure to temperatures above 54°C may cause bursting. Do not spray on plastic, painted or varnished surfaces or directly into any electronic equipment such as radios, televisions, computers, etc.

DISPOSAL: When container is empty, press valve to release all pressure. Dispose of empty container in accordance with provincial requirements. For information on the disposal of unused, unwanted product and the cleanup of spills, contact the regional Office of Conservation and Protection, Environment Canada.

NOTICE TO USER: This control product is to be used only in accordance with the directions on the label. It is an offence under the Pest Control Products Act to use a control product under unsafe conditions.

This label transcript service is offered by the Pest Management

Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service. +))