

93.08.05

STERIGERME

GERMICIDE DETERGENT

COMMERCIAL

GUARANTEE:

n-alkyl (40% C12, 50% C14, 10% C16)
dimethyl benzyl ammonium chloride..... 10%

REGISTRATION NO. 18485

PEST CONTROL PRODUCTS ACT

READ LABEL BEFORE USING

Sterigerme kills and restrains
proliferation of MICRO-ORGANISMS.

DIN NO. 544957

KEEP AWAY FROM FREEZING

WARNING

POISON

CORROSIVE

4.5 22.7 204.5 LITRES

CES CIE D'EQUIPEMENT SANITAIRE LTEE
4275 rue d'iberville
Montréal, Québec
H2H 2L5

GERMICIDE DISINFECTANT CLEANER

For hospitals, public places, schools, gymnasiums,
food equipments, processing plants, etc.

HOSPITAL DISINFECTION: To disinfect walls, floors, furniture and other hard surfaces in hospitals and nursing homes: mop or brush surface to be treated with a solution containing 45 mL/L of water. Those surfaces that are heavily soiled with blood, fecal material or exudates should be thoroughly scrubbed with a

solution containing 16 mL/L of water and then rinsed with a fresh solution containing 16 mL/L of water.

SANITIZATION: To sanitize walls, floors, and equipment in food processing plants, first clean thoroughly with a solution containing 25 mL/L of water. If surface is heavily soiled, use at a rate of 40 mL/L of water to insure thorough cleaning. Sanitize cleaned surface with a rinse solution containing 16 mL/L of water. Food contact surfaces must be rinsed with potable water before re-use.

DEODORIZATION: To deodorize surfaces during cleaning, mop or brush surfaces with a solution containing 55 mL/L of water. An effective antibacterial cleaner designed for use in household (if domestic), industrial and institutional (if commercial) cleaning. It may be relied upon to deodorize bathroom areas, garbage pails and other areas where obnoxious odours may develop.

PRECAUTIONS: KEEP OUT OF REACH OF CHILDREN. Corrosive. Causes eye damage and skin irritation. Do not get in eyes, on skin or on clothing. Protect eyes and skin when handling. Harmful if swallowed. Avoid contamination of food.

FIRST AID: In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes and call a physician. Remove and wash contaminated clothing before re-use. If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution or if these are not available, drink large quantities of water. Avoid alcohol. Never give anything by mouth to an unconscious person. Call a physician immediately.

NOTICE TO USER:

This control product is to be used only in accordance with the directions on this label. It is an offence under the Pest Control Products Act to use a control product under unsafe conditions.

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))