

89.09.11

CCL CRAWLING INSECT KILLER II
PRESSURIZED CONTACT & RESIDUAL
CRACK, CREVICE & SURFACE
INSECTICIDE SPRAY
COMMERCIAL

For use in Non-Food areas of Homes, Kennels, Warehouses, Theatres, Office Buildings, Schools, Motels, Hotels, Restaurants, and other Industrial establishments. Food Processing Facilities (non-edible areas) during shutdown periods only.

Kills Spiders, Sowbugs, Earwigs, Cockroaches, Crickets, Millipedes, Silverfish, Ants, Fleas, Carpet Beetles, Brown Dog Ticks.

GUARANTEE:

Pyrethrins.....	0.050%
Technical Piperonyl Butoxide.....	0.100%
N-Octyl bicycloheptene dicarboximide.....	0.166%
Propoxur.....	0.500%

REGISTRATION NO. 18646 PEST CONTROL PRODUCTS ACT

READ THE LABEL BEFORE USING

DANGER

EXTREMELY FLAMMABLE

EXPLOSIVE

NET CONTENTS grams

CCL INDUSTRIES INC.
26 Waterman Avenue
Toronto, Ontario, M4B 1Y5

For use as a spot or crack and crevice treatment to control insects listed on front panel.

INDOOR USE: Thoroughly treat cracks, crevices, baseboards, underneath furniture and equipment, around garbage container and other places where insects habitate. In dwellings, remove or cover exposed foods and cooking utensils before spraying. After spraying, clean surfaces which may contact food. Remove pets from the room during spraying. Cover or remove aquaria for 1 hour.

OUTDOOR USE: Spray outside surfaces of screens, doors, window frames, foundations, patios, light fixtures and other places where insects may alight, or congregate and enter.

DIRECTIONS: Hold container approximately 30 cm from surface being sprayed and spray until wet. Thorough applications produce a coating which will vaporize into cracks and crevices for insect control. Provide adequate ventilation after indoor use. **KEEP PETS AND CHILDREN AWAY FROM SURFACE UNTIL DRY.**

PRECAUTION: **KEEP OUT OF REACH OF CHILDREN.** Contents under pressure. Do not place in hot water or near radiators, stoves or other sources of heat, or store at temperatures over 50°C. Do not spray near flame or spark. Harmful if swallowed, inhaled or absorbed through skin. Avoid contact with eyes, skin or clothing. **DO NOT USE ON HUMANS, PLANTS, ANIMALS, FOOD STUFF, FOOD UTENSILS, FISHBOWLS, OR ANIMAL FEED AREAS. DO NOT USE AS A SPACE SPRAY.**

FIRST AID TREATMENT: Contains volatile petroleum distillate. If swallowed, do not induce vomiting. Call physician immediately. Propoxur is a mild cholinesterase inhibitor. Atropine is antidotal. In case of contact with skin, wash with soap and water. If in eyes, flush with water for 15 minutes, get medical attention.

DISPOSAL: When container is empty, press valve to release all remaining pressure. Do not puncture or incinerate.

NOTICE TO USER:

"This control product is to be used only in accordance with the directions on this label. It is an offence under the Pest Control Products Act to use a control product under unsafe conditions."

NATURE OF RESTRICTION: This product is to be used only in the manner authorized; consult local pesticide regulatory authorities about use permits which may be required.

Use this product in food processing plants only when plant is not in operation. Remove or cover food during treatment. Cover all food processing surfaces or thoroughly clean before using again.

Products for use in meat packing plants must be approved by the Meat Inspection Division, Health of Animals Branch, Agriculture Canada.

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))