

94.04.27

DowElanco (TM)

Spectrum(R)

Vegetation Management Product

COMMERCIAL

For control of annual weeds and grasses  
burndown of perennials.

GUARANTEE:

fatty acids.....18%

KEEP OUT OF REACH OF CHILDREN

WARNING

CORROSIVE

READ THE LABEL AND ATTACHED BOOKLET BEFORE USING

REGISTRATION NUMBER 22559  
PEST CONTROL PRODUCTS ACT

NET CONTENTS: 10 L

DowElanco Canada Inc.  
17705 Leslie Street  
Newmarket, Ontario  
L3Y 3E3  
(416) 836-0436

Mycogen Corporation  
4980 Carroll Canyon Road  
San Diego, California  
92121  
(619) 453-8030

Trademark of DowElanco  
DowElanco Canada Inc. is a licensed user.

## PRECAUTIONS

May cause skin sensitization. Avoid contact with skin and eyes. Wash immediately after use. Do not plant in treated soil for 3 days after treatment. Overspray will damage foliage contacted. May cause white residue on some types of brick or concrete. Residue will wear off after a few weeks. Do not apply if rainfall is expected within two hours. Application under cold temperatures will delay appearance of visible effects.

## FIRST AID

In case of eye contact flush with water for 15 minutes. Contact a physician if irritation occurs. If on skin flush affected areas thoroughly with water. If swallowed, give milk and get medical attention or contact a poison control centre.

NOTICE TO USER: This control product is to be used only in accordance with the directions on this label. It is an offence under the Pest Control Products Act to use a control product under unsafe conditions.

NOTICE TO BUYER: Seller's guarantee shall be limited to the terms set out on the label and subject thereto, the buyer assumes the risk to persons or property arising from the use or handling of this product and accepts the product on that condition.

For further information consult the Material Safety Data Sheet.

## GENERAL INFORMATION

Spectrum is a non-selective and non-residual vegetation management product formulated from naturally occurring fatty acids. Weeds controlled include, but are not limited to, chickweed, pigweed, lamb's quarter's, corn spurry, wild mustard, spotted cat's ear, round-leaved mallow, and green foxtail. Provides suppression or top-kill of some perennials, including plantain.

NOTE: AVOID SPRAY CONTACT ON DESIRABLE PLANTS. ANY PLANT MAY BE DAMAGED OR KILLED ON CONTACT.

## DIRECTIONS FOR USE

Spectrum is a fast acting product that can be used around buildings, fences, vacant lots, storage areas, gravel or bark mulch, around shade trees, on sidewalks or driveways, greenhouses, plant nurseries, recreational areas, parks, power substations and industrial sites (including these areas located within pasture and grazing reserves), tank farms and prior to planting grasses, shrubs, flowers and vegetables.

## MIXING

For control of small annual vegetation (up to 4-5 leaf stage) mix a spray solution consisting of 1.0 L of product plus 5.0 L of water and spray target vegetation to wet (avoid run-off) or on a broadcast basis apply 1000 L of spray solution per hectare. For control of larger annuals or burndown of perennial vegetation, mix 1.0 L of product plus 2.0 L of water and apply as above.

## APPLICATION INSTRUCTIONS

Mix thoroughly before use. Spray weeds until foliage is thoroughly wet (avoid run-off). Visible effects usually occur rapidly in 1-2 days. For best results apply while plants are small.

For best results, apply in spring/summer to young, succulent, and actively growing weeds (<13 cm tall). Weeds which are larger than 13 cm tall and/or which are maturing (flowering), dormant or under stress, (i.e. drought) are less susceptible and may not be killed. Regrowth of top-killed perennials will occur. Repeat treatment (i.e. every 14-21 days) will be necessary to control regrowth after top-kill and seedling weeds emerging after initial application.

## STORAGE:

Keep container tightly sealed when not in use. Do not allow to freeze.

## DISPOSAL:

1. Rinse the emptied container thoroughly and add the rinsings to the spray mixture in the tank.
2. Follow provincial instructions for any required additional

cleaning of the container prior to its disposal.

3. Make the empty container unsuitable for further use.
4. Dispose of the container in accordance with provincial requirements.
5. For information on the disposal of unused, unwanted product and the cleanup of spills contact the regional office of Environmental Protection, Environment Canada.

Copyright © 1994 DowElanco

\*\*\*\*\*

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))