

87.05.05

WATKINS QUALITY INSECT SPRAY

A READY-TO-USE SPACE AND CONTACT SPRAY
FOR USE ON DAIRY CATTLE, IN BARNs AND OTHER FARM BUILDINGS.

COMMERCIAL

GUARANTEE: Pyrethrins.....0.05%
Piperonyl Butoxide.....0.40%

READ LABEL BEFORE USING

REGISTRATION NO. 12294 PEST CONTROL PRODUCTS ACT

A high quality spray for:

1. Spraying dairy cows before milking to protect them from biting flies.
2. Fogging or spraying farm buildings (dairy barns, stables, pig pens) to kill flies and other flying insects.
3. Contact spray for carpet beetles, silverfish, ants, spiders, wasps and hornets.

19 Litres

Made in U.S.A. for
WATKINS INCORPORATED
WINNIPEG, MAN. R3B 0G1

WATKINS QUALITY INSECT SPRAY

DIRECTIONS

FOR MAXIMUM FLY CONTROL IN THE BARN

Livestock Spray - To treat cows against attacks of biting flies, spray animals once daily with a fine mist using an atomizer-type hand sprayer. Apply at a rate of 30-60 mL per animal over 6 months of age, depending on size. For calves use 30 mL. Spray should be enough to wet ends of the hair only, do not wet the hair or skin. Take care not to spray in the animal's eyes. Treat dairy cattle before milking. Do not use more than once a day.

Space Spray - Fogging Farm Buildings

Use to kill flies and other flying insects.

1. Remove all animals from barn or building before fogging.
2. Close building and shut off all ventilating systems.
3. Using a spraying device or ULV equipment similar to Watkins Tri-Jet Sprayer to dispense spray as a fine mist, apply at a rate of 100 to 200 mL per 100 m³. (Spraying time for the average dairy barn [480 m³] is about 1 1/2 minutes.)
4. Direct mist upwards to all parts of the room, especially windows and other light sources. Also direct mist into areas where insects are present. Do not remain in treated areas.
5. Spray only when temperature is under 32°C.
6. Whenever possible, keep doors and windows closed for 30 minutes after each treatment.
7. Ventilate treated areas for at least 30 minutes before animal re-entry.
8. Following ventilation, clean up dead insects. The ideal time to fog is in the evening when the fly population is highest. For a severe fly problem also use a residual spray and Fly Bait combined with a good sanitation program around your premises.

Contact Spray - To kill carpet beetles, silverfish, ants, spiders, wasps, and hornets. Use an atomizer-type hand sprayer.

1. Apply spray into all cracks and crevices and hiding places such as baseboards, moist areas, openings around sinks, drains and pipes, behind cabinets and storage areas.
2. Spray ant trails around door sills, window frames, or in ant nests.

Insects must be contacted to be killed. Leave room closed for 20 to 30 minutes. Do not remain in treated areas. Repeat as needed.

PRECAUTIONS:

Flammable Mixture - Product contains Petroleum Distillate. Do not store, pour or use near fire or flame. Wear mask or respirator when applying spray mist. Wear protective clothing. Harmful if swallowed, inhaled or absorbed through skin. Wash thoroughly with soap and water after handling. Do not contaminate feed, water or foodstuffs. Do not use in milk processing plants or milking parlors.

KEEP OUT OF REACH OF CHILDREN.

Do not use near birds, fish, or pets.

Do not spray on plastic or varnished surfaces.

Do not spray closer than 1 m to fabric.

Dispose of empty container in regular garbage.

FIRST AID:

Product contains Petroleum Distillate. If swallowed DO NOT induce vomiting. Obtain medical attention immediately. If in eyes, flush with plenty of water. If on skin, wash with soap and water. If irritation persists, obtain medical attention.

NOTICE TO USER - This control product is to be used only in accordance with the directions on this label. It is an offence under the Pest Control Products Act to use a control product under unsafe conditions.

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))