

02-NOV-1998

TIGUVON2 (R)

Technical Insecticide

(Fenthion Grade 100)

FOR MANUFACTURING, FORMULATING OR REPACKAGING

GUARANTEE:
Fenthion 95%

REGISTRATION NO. 24631

PEST CONTROL PRODUCTS ACT

READ THE LABEL BEFORE USING

KEEP OUT OF REACH OF CHILDREN

DANGER POISON

NET CONTENTS: 200 L

Manufactured For:
Bayer Inc.
Agricultural Division,
Animal Health
77 Belfield Road
Toronto, Ontario Canada M9W 1G6
(Telephone No. 416-248-0771)

NOTICE TO USER:

This control product is to be used only in accordance with the directions on this label. It is an offence under the Pest Control Products Act to use a control product under unsafe conditions.

DIRECTIONS FOR USE: To be used only in the manufacture of an insecticide which is registered under the Pest Control Products Act.

PRECAUTIONS: May be fatal if swallowed, inhaled, or absorbed through the skin. Rapidly absorbed through the skin. Repeated dermal contact may be increasingly hazardous. Do not get in eyes, on skin, or on clothing. Do not breathe fumes. Wear natural rubber gloves, protective clothing and goggles when handling product. In case of contact, wash immediately with soap and warm water. Wash hands, arms, and face thoroughly with soap and warm water before eating or smoking. Wash all contaminated clothing with soap and hot water before reuse.

The product is toxic to fish, wildlife, and birds. Do not contaminate water by cleaning of equipment or disposal of wastes. Do not contaminate water, food or feed by storage or disposal.

FIRST AID: If swallowed, vomiting should be induced. Administer water freely and induce vomiting by giving one dose (15 mL) of syrup of ipecac. If vomiting does not occur within 10 to 20 minutes, administer second dose. If syrup of ipecac is not available, induce vomiting by sticking finger down throat. Repeat until vomit fluid is clear. Never give anything by mouth to an unconscious person or to persons in a convulsive state. Professional medical assistance should be secured immediately. If on skin, wash immediately with soap and water and seek medical advice. If eyes are contaminated, wash with plenty of water for at least 15 minutes. Get medical attention.

SYMPTOMS OF POISONING: A sense of "tightness" in the chest. Sweating. Contracted pupils. Stomach pains. Vomiting and diarrhea.

TOXICOLOGICAL INFORMATION: Compound inhibits cholinesterase resulting in stimulation of the central nervous system, the parasympathetic nervous system, and the somatic motor nerves. Administer atropine sulfate in large therapeutic doses. Repeat as necessary to the point of tolerance. 2-PAM is also antidotal and may be administered in conjunction with atropine

Do not give morphine. Watch for pulmonary edema, which may develop in serious cases of poisoning, even after 12 hours. At first sign of pulmonary edema, the patient should be placed in an oxygen tent and treated symptomatically.

STORAGE: Do not store below 7°C. Keep in original container during storage. Store product in cool, dry, well-ventilated place away from seed, feed, fertilizer or other pesticides.

Keep away from fire, open flame or other sources of heat.

DISPOSAL: Canadian formulators using this product should dispose of unwanted active ingredient and containers in accordance with municipal or provincial regulations. For information on the disposal of unused, unwanted product and the clean up of spills, contact the provincial regulatory agency or the manufacturer.

Tiguvon is a Registered Trademark of Bayer AG, Germany

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))