

98/2003

SANI RINSE

CLEANER-DETERGENT-DISINFECTANT
FUNGICIDE (against pathogenic fungi)

DEODORIZER SANITIZER VIRUCIDE
MILDEWSTAT (on hard inanimate surfaces)

COMMERCIAL

DANGER

CORROSIVE TO EYES

READ THE LABEL BEFORE USING

REGISTRATION NO. 22988
PEST CONTROL PRODUCTS ACT

DIN 02232453

FOR FOOD PROCESSING AND
INSTITUTIONAL USE

GUARANTEE

n-Alkyl (5% C12, 60% C14, 30% C16, 5% C18)
dimethyl benzyl ammonium chlorides.....6.25%
n-Alkyl (68% C12, 32% C14)
dimethyl ethylbenzyl ammonium chlorides.....6.25%

NET CONTENTS LOT

C.P. INDUSTRIES LTD.
225 BLACK ST.,
FERGUS, ONTARIO
N1M 1A5

NOTICE TO USER: This control product is to be used only in accordance with the directions on this label. It is an offence

under the Pest Control Products Act to use a control product under unsafe conditions. Surfaces that come into contact with food are to be rinsed with potable water after disinfection.

DISINFECTION - To disinfect hard inanimate surfaces (such as walls, floors, tabletops), add 20 mL SANI RINSE per 5L water. Apply solution with mop cloth, or sponge or mechanical sprayer so as to wet thoroughly. Allow to remain wet for 10 minutes and then let air dry. For heavily soiled areas, a pre-cleaning step is required and recommended. Prepare a fresh solution for each use.

SANITATION - To sanitize previously cleaned and rinsed non-porous food contact surfaces, prepare 200 ppm active quaternary SANI RINSE solution by adding 15 mL SANI RINSE to 10 L of water. Wet surfaces completely for 60 seconds. Let air dry.

TOXICOLOGICAL INFORMATION

Probable mucosal damage may contraindicate the use of gastric lavage. Measure against circulatory shock, respiratory depression and convulsion may be needed.

PRECAUTIONARY STATEMENTS

HAZARD TO HUMANS AND DOMESTIC ANIMALS

Keep Out of Reach of Children. Causes eye and skin irritation. Do not get in eyes, skin or on clothing. Harmful if swallowed.

FIRST AID

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash all contaminated clothing before reuse. If swallowed, drink milk, egg whites, gelatin solution or if these are not available, drink large quantities of water. Call a physician.

STORAGE & DISPOSAL

Do not contaminate water, food or feed by storage and disposal. Store in a dry place no lower in temperature than 50°F or higher than 120°F.

1. Rinse the empty container thoroughly. Add the rinsings to

- the treatment site.
2. Follow provincial instructions for any required additional cleaning of the container prior to its disposal or reconditioning.
 3. Dispose of the container in accordance with provincial requirements.
 4. For information on the disposal of unused, unwanted product and the clean up of spills, contact the regional office of Environment Canada.
 5. For small spills. Recover free liquid. Soak up residue with solids absorbent. Do not flush into surface streams. Inform Environment Canada as in No. 4.

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))