

98D/2001E

DARACIDE(R) 6265

Reg Trade Mark

INDUSTRIAL

MICROBISTAT

GUARANTEE:

2-(p-hydroxyphenyl) glyoxylohydroxymoyl chloride....5.0%

REGISTRATION NO.: 20456

PEST CONTROL PRODUCTS ACT

DANGER POISON

READ THE LABEL BEFORE USING

NET CONTENTS LITRES

KEEP FROM FREEZING

Corrosive Liquid Nos (2(p-hydroxyphenyl) glyoxylohydroxymoyl Chloride)
PIN 1760

GRACE DEARBORN INC.
Plant and Offices:
3451 Erindale Station Road
Mississauga, Ontario
L5C 2S9

Mailing Address:
P.O. Box 3060
Station A
Mississauga, Ontario
L5A 3T5

DIRECTIONS:

Pulp and Paper: DARACIDE 6265 may be added on either a shock or semi-continuous basis. DARACIDE 6265 may be metered into the

white water at a rate of 90 to 180 mL per tonne if paper produced. Feeding should be semi-continuous at between 8 to 12 hours per 24 hour period or as needed. DARACIDE 6265 may be shock fed into the white water at a rate of 90 - 180 mL per tonne of paper produced. Product should be fed for 15 minutes to one hour to four times per day until control is achieved.

ECOLOGICAL:

Open dumping is prohibited. If plastic, do not reuse empty container. This product is toxic to fish and wildlife. Treated effluent should not be discharged where it will drain into lakes, streams, ponds or public water. Do not contaminate water by cleaning of equipment or disposal of waters. Apply this product only as specified on this label.

CAUTION:

DANGER: CORROSIVE TO EYES AND CAUSES SKIN BURNS. MAY CAUSE ALLERGIC SKIN REACTION. MAY BE HARMFUL IF INHALED. MAY BE FATAL IF SWALLOWED OR ABSORBED THROUGH THE SKIN. Do not get in eyes, on skin, on clothing. Wear goggles or face shield and rubber gloves when handling. Avoid breathing vapour or mist. Do not take internally. Wash thoroughly after handling. DO NOT USE IN POTABLE WATER. Do not contaminate water, food or feed by storage or disposal.

FIRST AID:

In case of contact, immediately flush eyes and skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse. If swallowed, do not induce vomiting. Drink promptly a large quantity of milk, egg whites, gelatin solution, or if these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately. Never give anything by mouth to an unconscious person. If inhaled, remove person immediately to fresh air. If not breathing, apply artificial respiration. If breathing is difficult, give oxygen. Call a physician.

TOXICOLOGICAL INFORMATION:

Probable mucosal damage may contraindicate the use of gastric lavage. Measures against shock, respiratory depression and convulsions may be needed.

DISPOSAL:

1. Rinse the emptied container thoroughly and add the rinsings to treatment site.
2. Follow provincial instructions for any required additional cleaning of the container prior to its disposal or reconditioning.
3. Dispose of the container in accordance with provincial

- requirements.
4. For information on the disposal of unused, unwanted product and the cleanup of spills, contact the regional office of ENVIRONMENT CANADA.
 5. For small spills. Recover free liquid. Soak up residue with solids absorbent. DO NOT FLUSH INTO SURFACE STREAMS. INFORM ENVIRONMENT CANADA AS IN #4.

NOTICE TO USER:

This control product is to be used only in accordance with the directions on this label. It is an offence under the Pest Control Products Act to use a control product under unsafe conditions.

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))