

93.07.07

BACTOSOL

CLEANER - DISINFECTANT
DEODORIZER - FUNGICIDE

VIRUCIDE

PHENOL COEFFICIENTS

Staphylococcus aureus..... (ATCC 6538)..... 42
Salmonella typhosa..... (ATCC 6539)..... 28

GUARANTEE

n-Alkyl (5% C12; 60% C14; 30% C16; 5% C18) dimethyl
benzyl ammonium chlorides..... 2.25%
n-Alkyl (68% C12, 32% C14) dimethyl ethylbenzyl
ammonium chlorides..... 2.25%

READ THE LABEL BEFORE USING

FOR HOSPITAL AND INSTITUTIONAL USE

REGISTRATION NO. 19827
PEST CONTROL PRODUCTS ACT

CAUTION
CORROSIVE

D.I.N. 709948

LOT NO.

4 L 20 L

LES ENTREPRISES PLEIN SOL LIMITEE
145, boul. Wilfrid Hamel,
Québec, Québec
G1L 4H8

DESCRIPTION: BACTOSOL cleans, sanitizes, disinfects and deodorizes in just one operation. Designed for use in hospitals, restaurants, motels, hotels, schools and food-production plants. Prepared according to directions, this is an effective product against: Staphylococcus aureus - Salmonella choleraesuis - Pseudomonas aeruginosa - Salmonella typhosa - fongi pathogénique tel le Trichophyton interdigitale - Escherichia coli - Brevibacterium ammoniagenes - Klebsiella pneumoniae Influenza A2 - Herpes simplex - Adenovirus type 2 - virus Vaccina.

RECOMMENDED USE: Should be used where hygiene is important in the control of pathogenic bacteria, such as on floors, walls, toilettes, tables, countertops, sinks, garbage cans, stainless steel surfaces, etc. Effectively controls odours caused by growing bacteria, mildew and fungi.

DIRECTIONS FOR USE: Disinfection: Dilute 1 part of Bactosol in 62 parts water (2 ounces per gallon) and apply with a cloth or mop, then rinse well and let dry. Do not mix with other products.

Sanitization: To sanitize food equipment or food contact items, limit the level of active quaternaries to 200 ppm by diluting 0.5 mL in 1 L of water (0.7 ounces per gallon).

NOTICE TO USER: This control Product is to be used only in accordance with the directions on the label. It is an offence under the pest control products act to use a control product under unsafe conditions.

KEEP OUT OF REACH OF CHILDREN

FIRST AID In case of contact, immediately flush eyes or skin with plenty, of water for at least 15 minutes. For eyes, call a physician. Remove and wash all contaminated clothing before reuse. If swallowed, drink milk, egg whites, gelatin solution, or if these are not available, drink large quantities of water. Call a physician.

DISPOSAL:

1. Rinse the emptied container thoroughly and add the rinsings to treatment site.
2. Follow provincial instructions for any required additional cleaning of the container prior to its disposal reconditioning.
3. Dispose of the container in accordance with provincial requirements.
4. For information on the disposal of unused, unwanted product and the cleanup of spills, contact the regional office of

Environment Canada.

5. For small spills. Recover free liquid. Soak up residue with solids absorbent. DO NOT FLUSH INTO SURFACE STREAMS. INFORM ENVIRONMENT CANADA AS IN #4.

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))