

07-FEB-2005

29-JAN-2008 Notification - Change in Registrant

**CARTON:**

**WILSON  
FLORITECT®  
INSECTICIDE-FUNGICIDE  
FOR ROSES & FLOWERS**

DOMESTIC

REG. NO. 24876 P.C.P. ACT

GUARANTEE:	folpet	10.0%
	carbaryl	10.0%
	pirimicarb	2.5%

KEEP OUT OF REACH OF CHILDREN  
READ THE LABEL AND CARTON BEFORE USING

250 mL (500 mL)

Notification Change

~~Spectrum Brands IP Inc.  
10 Craig St.  
Brantford, ON  
Canada N3R 7J1~~

Sure-Gro IP Inc.  
P.O. Box 21001  
Brantford ON  
N3R 7W9

**KEEP THE BOX FOR USE DIRECTIONS.**

Wilson Liquid Floraguard Insecticide-Fungicide for Roses and Flowers has been specially formulated to control major diseases (black spot) and insects on roses, flowers and ornamentals.

**DIRECTIONS:**

5 mL = 1 teaspoon

15 mL = 1 tablespoon

**SHAKE WELL BEFORE USING.** Mix 10 mL per litre of water. Shake sprayer frequently while spraying. Thoroughly cover all sides of foliage and stems. Apply lightly on young tender foliage. Apply every 7 to 10 days or as needed.

**Insects Controlled:** Aphids, Caterpillars, Flea Beetles, Japanese Beetles, Lace Bugs, Leafhoppers, Leafrollers, Mites, Plant Bugs, Rose Aphids, Rose Chafer, Roseslug, Sawflies, Scale Insects (exposed crawler stage only), Thrips (exposed), Whiteflies.

**Disease Controlled:** Black Spot of Roses, Powdery Mildew, Septoria Leaf Spot on Chrysanthemums, Anthracnose on Snapdragons, Alternaria Leaf Spot on Carnations, Marigolds and Zinnias.

**PRECAUTIONS:** KEEP OUT OF REACH OF CHILDREN. Harmful if swallowed. Wash thoroughly after use. Avoid inhaling spray mist or contact with eyes, skin or clothing. Do not apply indoors. Avoid contamination of food, feed, utensils, drinking water or any body of water. Carbaryl is toxic to bees. Do not use where bees are foraging. Do not apply spray when temperature is over 27°C or under poor drying conditions. **Keep children and pets away from treated area during application and until dry.**

**FIRST AID:** **If swallowed,** induce vomiting by giving patient 1 or 2 glasses of water and inserting finger down throat. Call a poison control centre and obtain medical attention. If patient is unconscious, give them air. Do not give anything by mouth to an unconscious person. **If in eyes,** flush with water and obtain medical attention. **If on skin,** wash with soap and water. Take container, label or product name and P.C.P. Registration Number with you when seeking medical attention.

**TOXICOLOGICAL INFORMATION:** Carbaryl and pirimicarb are moderate, reversible cholinesterase inhibitors. Atropine at 1-4 mg by intramuscular injections is antidotal followed by a further 2 mg every 30 minutes as necessary. P2S and 2-PAM are **not** effective.

**DISPOSAL:** Triple rinse container into sprayer. Dispose of empty container and measuring cup with household garbage. Do not reuse empty container or measuring cup.

Pirimicarb - Canadian Patent No. 933,159

FLORITECT® Zeneca Corp. Licensed User.

For additional product information or in the case of emergency, spills or fire, call toll-free 1-800-268-2806.

[www.wilson.nu-gro.com](http://www.wilson.nu-gro.com)

07-FEB-2005

**BOTTLE LABEL:**

**WILSON  
LIQUID  
FLORITECT®  
INSECTICIDE-FUNGICIDE  
FOR ROSES & FLOWERS**

DOMESTIC

REG. NO. 24876 P.C.P. ACT

GUARANTEE:	Folpet	10.0%
	Carbaryl	10.0%
	Pirimicarb	2.5%

KEEP OUT OF REACH OF CHILDREN  
READ THE LABEL AND CARTON BEFORE USING

250 mL (500 mL)

Notification Change

~~Spectrum Brands IP Inc.  
10 Craig St.  
Brantford, ON  
N3R 7J1~~

Sure-Gro IP Inc.  
P.O. Box 21001  
Brantford ON  
N3R 7W9

**KEEP THE CARTON FOR USE DIRECTIONS.**

**PRECAUTIONS: KEEP OUT OF REACH OF CHILDREN.** Harmful if swallowed. Wash thoroughly after use. Avoid inhaling spray mist or contact with eyes, skin or clothing. Do not apply indoors. Avoid contamination of food, feed, utensils, drinking water or any body of water. Carbaryl is toxic to bees. Do not use where bees are foraging. Do not apply spray when temperature is over 27° C or under poor drying conditions. **Keep children and pets away from treated area during application and until dry.**

**FIRST AID: If swallowed,** INDUCE VOMITING by giving patient 1 or 2 glasses of water and inserting finger down throat. Call a poison control centre and obtain medical attention. If patient is unconscious, give them air. Do not give anything by mouth to an unconscious person. **If in eyes,** flush with water and obtain medical attention. **If on skin,** wash with soap and water. Take container, label or product name and P.C.P. Registration Number with you when seeking medical attention.

**TOXICOLOGICAL INFORMATION:** Carbaryl and pirimicarb are moderate, reversible cholinesterase inhibitors. Atropine at 1-4 mg by intramuscular injections is antidotal followed by a further 2 mg every 30 minutes as necessary. P2S and 2-PAM are **not** effective.

**DISPOSAL:** Triple rinse container into sprayer. Dispose of empty container and measuring cup with household garbage. Do not reuse empty container or measuring cup.

Pirimicarb - Canadian Patent No. 933, 159.  
FLORITECT® Zeneca Corp. Licensed User.

**For additional product information or in the case of emergency, spills or fire, call toll-free 1-800-268-2806.**

[www.wilson.nu-gro.com](http://www.wilson.nu-gro.com)

\*\*\*\*\*

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.