

96.12.18

NO. 74308

ALL WEATHER
BAR BAIT (R)

RAT AND MOUSE KILLER

DOMESTIC

REGISTRATION NO. 24717

PEST CONTROL PRODUCTS ACT

GUARANTEE:
Warfarin 0.025%

454 g

SOLVAY Animal Health, Inc.
209 Manitou Drive
Kitchener, Ontario
N2C 1L4

READ THE LABEL BEFORE USING: Read complete directions, cautions and warning statements on the inside of this label.

PRECAUTIONS: Keep away from humans, domestic animals and pets. If swallowed, this material may reduce the clotting ability of the blood and cause bleeding. Wash hands thoroughly with soap and water after handling.

KEEP OUT OF REACH OF CHILDREN.

EPA Est. No. 61282-WI-1

DIRECTIONS FOR USE

FOR RATS: Cut through cellophane and label and break off the

desired amount to be used. Assure an uninterrupted supply of bait for a period of not less than 10 days and continue baiting until all signs of feeding have stopped.

In moderately infested locations, at least 2 or more sections of this bar should be placed where rats feed, water or travel - along walls, in corners and concealed locations where they can feed unobserved. Each location should contain enough bait so that some will be left over the following morning.

Daily inspection is essential, especially in the first week, and bait supplies must be replenished as often as necessary. Under normal conditions, bait consumption will be light the first night, much heavier the 2nd and 3rd night thereafter. A gradual tapering-off will occur as more and more rodents perish. When no bait is being eaten (between 10 and 14 days) and signs of rodent activity have disappeared, it may be assumed that the rats in the particular location have been destroyed.

FOR MICE: Break a bar section into 4 pieces and place where mice or signs of mice have been seen. Bait stations at intervals of 2.5 m to 3 m are recommended. Assure an uninterrupted supply of bait for a period of not less than 15 days.

PRECAUTIONS: Protect children, pets, wildlife and domestic animals from the bait. Harmful if swallowed. Do not expose these bait bars in areas accessible to pets, children, wildlife and domestic animals except when enclosed within a tamper-proof bait box.

FIRST AID: If swallowed, give patient one or two glasses of water and induce vomiting by inserting finger down throat. Repeat until vomit fluid is clear. Call a physician or Poison Control Centre.

TOXICOLOGICAL INFORMATION: Vitamin K1 in the form of intravenous, intramuscular or subcutaneous injections, or by oral ingestion are suggested remedial treatments for anticoagulant poisoning. The severity of the case measured by establishing prolonged prothrombin times. (P.T.) will determine appropriate therapy. Monitoring P.T. will indicate the necessity of repeated treatments.

STORAGE AND DISPOSAL: Do not contaminate water, food or feed by storage or disposal.

STORAGE:

Store only in original container, in a dry place inaccessible to children and pets.

DISPOSAL:

Do not reuse empty container. Dispose of empty container by placing in household garbage.

RODENT DISPOSAL:

Dispose of dead rodents in garbage or by burying.

NOTICE TO BUYER:

Seller's guarantee shall be limited to the terms set out on the label and subject thereto. The buyer assumes the risk to persons or property arising from the use or handling of this product and accepts the product on that condition.

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))