

20-NOV-1997

((LABEL))

AQUA BRILLIANT (TM)

Above-Ground
Pool Water Purifier

MODEL: VSP DISPENSING DEVICE

DOMESTIC

REPLACE BRIQUETTE EVERY 30 DAYS

READ THE LABEL AND OWNER'S MANUAL BEFORE USING

To assist in controlling bacteria and algae growth this device will augment bactericidal and algicidal activity of primary disinfectants such as chlorine in swimming pools and spas. A minimum of 0.6 ppm of free available chlorine must be maintained.

WARNING: Staining of pool surfaces may occur due to deposits of copper salts. Excessive levels of copper will increase the probability of this occurrence.

REG. NO. 24981 P.C.P. ACT

MUSKIN LEISURE PRODUCTS, INC.
401 E. Thomas St.
Wilkes-Barre, PA 18705

((OWNER'S MANUAL))

AQUA BRILLIANT (TM)

Above-Ground Pool Water Purifier

MODEL VSP DISPENSING DEVICE

DOMESTIC

FOR ABOVE GROUND SWIMMING POOLS UP TO 25,000 L
(5500 IMP. GALLONS)

CAUTION:

READ THE LABEL AND OWNER'S MANUAL CAREFULLY BEFORE USING. Check for missing parts by reviewing the Repair Parts List in the back of this book. Keep this owner's manual for future reference.

Muskin Leisure Products, Inc.
401 E. Thomas St.
Wilkes Barre, PA 18705
717-825-4501

OWNER'S MANUAL
. ASSEMBLY
. OPERATION
. REPAIR PARTS

REGISTRATION NUMBER 24981
PEST CONTROL PRODUCTS ACT

If your retailer does not have aqua brilliant (TM) products, please call us at 1-800-338-1013 or fill out and return the reorder card included with this manual.

HOW TO ORDER PARTS

If you find any of the parts missing or defective or if you cannot identify a problem, do not take the package or any part of the package back to the place of purchase. Instead, contact: 1-800-338-1013.

When ordering repair parts always give the following information:

- . Part Number
- . Part Description
- . Name of Item
- . Model Number

WARNING
aqua brilliant (TM) IS DESIGNED FOR
ABOVE GROUND SWIMMING POOLS ONLY.
NOT FOR HOUSEHOLD USE.

1. START-UP INSTRUCTIONS

Before starting up a new aqua brilliant (TM), clean debris and algae out of pool and equipment. If you have a Muskin Pool Spray or any other attachment on your return fitting it must be removed before installing aqua brilliant (TM).

IMPORTANT:

Do not install aqua brilliant (TM) until the pool water is chemically balanced.

A. Balance Pool Water

All swimming pools, including Muskin pools, require properly balanced water.

- | | | |
|----|------------------|-------------|
| 1. | pH | 7.2-7.8 |
| 2. | Calcium Hardness | 200-300 ppm |
| 3. | Total Alkalinity | 80-120 ppm |

NOTE: Consult your dealer for specific water balance instructions.

B. Installation

1. Before installing the purifier, set the calendar ring to the correct month according to the date in which the purifier was installed. Unscrew the front of the purifier from the back and rotate the calendar ring so the arrow on the device is pointing to the correct month (FIG. 1).
2. Install the aqua brilliant (TM) purifier by threading the purifier into the return fitting of your pool (FIG. 2).

C. Superchlorinate ("shock") the pool

On the first day, super-chlorinate water with 1 lb. (0,45 kg) dry gallon (3,78 litres) of sodium hypochlorite per 10,000 gallons (37.800 litres) of pool water to burn off contaminants and to

activate the purifier.

D. Activate aqua brilliant (TM)

1. Run the pump and filter system 24 hours per day for four days. Thereafter, run the pump and filter system 8-12 hours per day depending on bathing load and environmental conditions.

E. Maintain a 1-3 ppm residual chlorine level throughout the 4-day activation period.

F. Allow the free chlorine residual to drop to - but not below -0,6 ppm.

G. Follow the maintenance instructions in this manual.

NOTE: REPLACE BRIQUETTE EVERY 30 DAYS

Each aqua brilliant (TM) briquette will effectively help keep your pool water pure, clean and odour free for up to 30 days. The 30 day activation period begins when the briquette has been submerged in water. Once the briquette has been activated it cannot be deactivated and stored for use at a later time.

REMEMBER:

When you replace the briquette change the calendar ring to reflect a new 30 day period.

((SEE ILLUSTRATION))

Calendar ring shows when to replace briquette to ensure efficient purification.

2. REPLACING THE aqua brilliant (TM) BRIQUETTE

A. Shut off pump.

B. Unscrew purifier front and remove the old briquette (Fig. 1).

C. Unscrew directional nozzle from purifier front (Fig. 1).

D. Place new briquette in square centre of the purifier back so it is flush (Fig. 1).

NOTE: DO NOT REMOVE BRIQUETTE FROM ITS PLASTIC HOUSING.

E: Change the date on the calendar ring to reflect a new 30 day

period.

- F. Hold briquette in place with index finger while reinstalling the purifier front (Fig. 2).
- G. Screw directional nozzle onto purifier front.
- H. Turn on pump.

3. Aqua brilliant (TM) COMPATIBILITY

Avoid using aqua brilliant (TM) with the following:

Copper-based algaecides

Bromine or bromide chemicals

4. Aqua brilliant (TM) POOL WATER MAINTENANCE

A. Ingredients

- . Aqua brilliant (TM) Pool Water Purifier
- . Chlorine*
- . pH and Total Alkalinity adjusting chemicals
- . Total Hardness increaser (if needed)
- . Water test Kit
- . Cyanuric Acid.

NOTE: Once the 4-day activation period is completed, allow the free chlorine residual to drop to - but not below - 0,6 ppm free available chlorine.

Several delivery methods exist for chlorine. These include granules, tablets, liquid, electrical chlorine generators, etc. Each method has its own merit. Consult your dealer.

WHEN	WHAT TO DO
EVERY DAY	RUN PUMP AND OPERATE FILTER SYSTEM AT LEAST 8 HOURS. DAILY.
ONCE A WEEK	BALANCE pH AND TOTAL ALKALINITY.
TWICE A WEEK	CHECK CHLORINE RESIDUAL. ADD CHLORINE TO MAINTAIN 0.6 PPM FREE AVAILABLE CHLORINE.
AS NEEDED	IF THE POOL WATER STARTS TO LOOK HAZY, SUPER-CHLORINATE (SHOCK) USING 1 lb. (0,45 kg) OF CHLORINE GRANULES per 10,000 GALLONS (37,800 litres) OF WATER. ADD CYANURIC ACID TO MAINTAIN 50 ppm.

NOTE: AFTER HEAVY USE OR RAINSTORMS, ADDITIONAL SUPER-CHLORINATION TREATMENTS ARE RECOMMENDED.

REPAIR PARTS

KEY NO.	PART NO.	QTY.	DESCRIPTION
1	62045	1	DIRECTIONAL NOZZLE**
2	55125	1	PURIFIER FRONT
3	55124	1	PURIFIER DATE RING
4	56041	1	BRIQUETTE
5	55123	1	PURIFIER BACK
*	91267	1	REORDER INFORMATION CARD
*	94172	1	OWNER'S MANUAL

* NOT SHOWN

** IF YOU BOUGHT A POOL PACKAGE THE DIRECTIONAL NOZZLE INCLUDED IN YOUR SKIMMER OR RETURN FITTING PARTS BAG.

REPLACE YOUR
aqua brilliant (TM)
BRIQUETTE EVERY 30 DAYS

5. USING THE aqua brilliant POOL WATER PURIFIER WITH MUSKIN POOL SPRAY
 - A. Installing the Muskin Pool Spray on the aqua brilliant (TM) Pool Water Purifier
 1. Using a hacksaw, cut off the end of the spray up to the threads (Fig. 1).
 2. Remove the directional nozzle from the purifier front.
 3. Screw the pool spray into the purifier front. Do not over tighten (Fig. 2).

((SEE ILLUSTRATION))

If your retailer does not have aqua brilliant (TM) products, please call us at 1-800-338-1013 or fill out and return the reorder card below.

Aqua Brilliant (TM)
Above-Ground Pool Water Purifier
MAIL TO:
Customer Service, Muskin Leisure Products, Inc.
401 East Thomas Street,
Wilkes-Barre, PA 18705

Name_____

Address_____

City_____

State_____

Zip_____

Phone_____

Check_____

Money Order_____

MasterCard_____

Visa_____

Disc._____

A0006 \$20.50 Qty:_____

Package of Two Refill Briquettes

A0007 \$80.95 Qty:_____

Seasonal Unit

Total \$_____ (U.S. Dollars)

(Include \$3.00 S+H)

Card #_____

Exp._____

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))