

08-OCT-2002

**President's Choice®**

**WEED CONTROLLER**

FAST-ACTING  
FOR NON-SELECTIVE CONTROL OF BROADLEAF & GRASSY WEEDS

READY TO USE

DOMESTIC

GUARANTEE:  
Acetic acid ...62.5g/L

KEEP OUT OF REACH OF CHILDREN

READ THE LABEL BEFORE USING

REGISTRATION NO. 27109 P.C.P ACT

WARNING

CORROSIVE/EYE IRRITANT

NET CONTENTS: 1L

Loblaws Inc.  
22 St. Clair Ave., East  
Toronto, ON  
M4T 2S8

©2002

1-888-465-5111

**PRECAUTIONS:** Avoid contact with skin, eyes and clothing. Wash immediately after use. Avoid all contact to desirable plants. Overspray or drift will injure contacted foliage. Avoid application to reactive metals such as aluminum, tin, iron, or items such as fencing or lawn furniture in order to prevent staining, mottling, or otherwise interfering with finished metal

surfaces.

**FIRST AID:** In case of eye contact flush with plenty of water. If irritation persists get medical attention or contact a poison control centre. If on skin wash with soap and water.

Take container, label or product name and Pest Control Product Registration number with you when seeking medical attention.

**STORAGE:**

Keep from freezing. Store in original container out of reach of children.

**DISPOSAL:**

Do not reuse the empty container. Wrap and dispose of container in household garbage.

**READY TO USE:** Fast acting formula for non-selective spot treatment of individual weeds. Visible effects occur soon after treatment, and actively growing susceptible weeds are controlled within 1 to 2 days. Leaves no harmful residue in the soil.

**PRESIDENTS CHOICE® WEED CONTROLLER** is recommended for control of undesirable plants on patios, sidewalks, driveways, under fences. Use to edge along driveways, sidewalks and to control weeds in gravel and mulch. Application **PRESIDENT'S CHOICE® WEED CONTROLLER** results in rapid breakdown and control of the following annual weeds: common ragweed, chickweed, black medic and lamb's quarters and topgrowth control of the following perennial weeds: dandelion, plantain (broad-leaved and narrow-leaved), wild carrot and quack grass.

**DIRECTIONS FOR USE**

No dilution or mixing is required.

For best results apply in sunny warm weather to actively growing young weeds less than 10 cm tall. To apply, turn the adjustable nozzle to achieve the desired spray pattern. For most applications, use a coarse spray that can be targeted to uniformly and thoroughly wet only unwanted foliage. Complete coverage is necessary for best results.

Weeds that are mature, dormant or hardened due to moisture stress tend to be more tolerant to herbicide treatments. Retreatment of large weeds and regrowth of perennial weeds will be required. Only contacted vegetation will be affected. Rainfall or watering within 1 hour of application will reduce degree of control.

**PRODUCT OF CANADA**

LOBLAWS INC.  
MONTRÉAL H4N 3L4, TORONTO M4T 2S8,  
CALGARY T2E 7S9, CANADA  
©2002

\*\*\*\*\*

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+) )