

85.12.31

D'GERM

DISINFECTANT - TOILET AND URINAL CLEANER -
STAPHLOCIDAL - FUNGICIDAL - PSEUDOMONACIDAL

GUARANTEE:

Phosphoric Acid	15.0%	
Isopropanol	18.0%	
Dodecylbenzene Sulfonic Acid		14.55%
Hydrochloric Acid	4.7%	
Sulfuric Acid	0.07%	

COMMERCIAL

REGISTRATION NO. 13921

PEST CONTROL PRODUCTS ACT

READ THE LABEL BEFORE USING

DANGER

VAPOUR HARMFUL EXTREMELY CORROSIVE

SANFAX(R)
division of
Diversey Inc.
2645 Royal Windsor Drive
Mississauga, Ontario
L5J 1L1
(416) 855-7700

DARTMOUTH - CANDIAC, P.Q. - WINNIPEG - EDMONTON - VANCOUVER

Net 205 Litres

FOR INDUSTRIAL USE

A.O.A.C. USE DILUTION TESTS. 12th Edition

1. Staphylococcus aureus	-1:128
2. Salmonella choleraesuis	-1:128
3. Pseudomonas aeruginosa (PRD-10)	-1:128

A.O.A.C. 12th EDITION OFFICIAL FUNGICIDAL TEST
Trichophyton Interdigitale -1:128

DIRECTIONS

For Toilets: It is not necessary to remove the water from the bowl, 28 mL is sufficient to remove soils, rust, lime scale and uric deposits, disinfect and deodorize. Open flip cap, invert bottle and with light pressure, direct stream completely around underneath side of toilet bowl rim. Allow at least 10 minutes contact time for surface to be cleaned and disinfected. Wet bowl mop in solution and swab all surfaces. Rinse. Repeat application for cleaning heavily encrusted deposits.

On Solid porcelain urinals: Place bowl mop over drain. Add enough water to make a solution and follow the same procedure as for toilet bowls. D'GERM will not damage solid porcelain china or vitreous ware.

D'GERM may be used on most metals (including aluminum and stainless steel) at 8 mL per litre of water. Rinse thoroughly. On chrome or porcelain enamel dilute 1 part to 4 parts of water and allow only a few moments contact time. Rinse well with water. Do not use on chipped or cracked surfaces of these materials. Septic tanks will not be affected.

PRECAUTIONS: KEEP OUT OF REACH OF CHILDREN, AVOID CONTAMINATION OF FOOD. Do not breathe vapor or fumes. Do not get in eyes, on skin or on clothing.

DO NOT USE, POUR, SPILL OR STORE NEAR HEAT OR OPEN FLAME.

FIRST AID: Internal: Call a physician immediately. Drink 5 mL or more of magnesia, chalk or small pieces of soap softened with water in milk or raw egg white. Externa: eyes: wash with water for 15 minutes. Get prompt medical attention. Skin: Wipe off the acid gently, immediately flood the surface with water, using soap freely, then cover with moist magnesia or baking sods.

TOXICOLOGY: Ingestion may cause corrosion of mucous membranes esophagus, stomach, difficulty in swallowing, nausea, vomiting, intense thirst, diarrhea, circulatory collapse and death may occur.

NOTICE TO USER: This product is to be used only in accordance with the directions on this label. It is an offence under the Pest Control Products Act to use a control product under unsafe conditions.

Seller's guarantee shall be limited to the terms set out on the label and subject thereto, the buyer assumes the risk to persons or property arising from the use of handling of this product on that condition.

CORROSIVE LIQUIDS, FLAMMABLE

N.O.S.*

(Hydrochloric acid, isopropyl alcohol)

THIS PRODUCT NOT REGULATED UNDER WHMIS REGULATIONS

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))