

97/2002

SERVICEMASTER®

SANIMASTER III

Disinfectant - Cleaner - Fungicide - *Virucide - Deodorizer
for Hospitals and Other Health Institutions

COMMERCIAL

CAUTION

POISON

CORROSIVE

READ THE LABEL BEFORE USING

REGISTRATION NO.20221

PEST CONTROL PRODUCTS ACT

D.I.N. 603953

GUARANTEE

Alkyl (C12, 40% C14, 50% C16, 10%)
dimethyl benzyl dimethyl ammonium chloride..... 2.33%
Octyl decyl dimethyl ammonium chloride..... 1.75%
Didecyl dimethyl ammonium chloride..... 1.05%
Dioctyl dimethyl ammonium chloride..... 0.70%

NET CONTENTS 113.4 Liters

THE SERVICEMASTER COMPANY
LIMITED PARTNERSHIP
DOWNERS GROVE, ILLINOIS 60515, U.S.A.

SERVICEMASTER OF CANADA LTD.
70 RONSON DRIVE
REXDALE, ONTARIO
CANADA M9W 1B6

SANIMASTER III

SaniMaster III is effective against a broad spectrum of bacteria, is virucidal and fungicidal, and is a true deodorant.

DIRECTIONS FOR USE

DISINFECTION: Use at 8 mL/L when water hardness is less than 225 ppm. Use at 16 mL/L for water hardness of 255 ppm up to 400 ppm. At these prescribed use-levels, SaniMaster III is bactericidal, fungicidal and virucidal.

For best results, apply SaniMaster III with a spray maker, or clean cloth or mop to floors, walls, and other similar hard nonporous surfaces. Thoroughly wet all surfaces and allow to remain wet for 10 minutes.

For heavily soiled areas, a precleaning step is required and recommended. Prepare a fresh solution for each use.

FIRST AID INSTRUCTIONS:

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse. If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution, or if these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately.

TOXICOLOGICAL INFORMATION: Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression, and convulsion may be needed.

PRECAUTIONS: KEEP OUT OF REACH OF CHILDREN

DANGER: Hazards to Humans and Domestic Animals

Caution: Keep out of reach of children. Corrosive. Causes severe eye and skin damage. Do not get in eyes, on skin, or on clothing. Wear goggles or face shield and rubber gloves when handling. Harmful or fatal if swallowed. Do not breath spray mist. Avoid contamination of food.

NOTICE TO USER: This control product is to be used only in accordance with the directions on this label. It is an offence under the Pest Control Products Act to use a control product under unsafe conditions.

DISPOSAL:

1. Rinse the emptied container thoroughly and add the rinsings to treatment site.
2. Follow provincial instructions for any required additional cleaning of the container prior to its disposal or reconditioning.
3. Dispose of the container in accordance with provincial requirements.
4. For information on the disposal of unused, unwanted product and the cleanup of spills, contact the regional office of Environment Canada.
5. For small spills. Recover free liquid. Soak up residue with solids absorbent. DO NOT FLUSH INTO SURFACE STREAMS. INFORM ENVIRONMENT CANADA AS IN #4.

Lot No. _____

To Reorder: 32050

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))