02-JUN-1995

<div align="center">

JP'S
LIQUID ALGICIDE CONCENTRATE

NON FOAMING
NON METALLIC

CONTROLS ALGAE IN SWIMMING POOL WATERS

DOMESTIC

REG. NO. 24114 P.C.P. ACT

GUARANTEE:
POLY (OXYTHYLENE(DIMETHYLIMNO)
ETYLENE (DIMETHYLIMNO)
ETHYLENE DICHLORIDE).......40%

NET CONTENTS
1 LITRE   4 LITRES   20 LITRES

READ THE LABEL BEFORE USING

EAU DE JAVEL JEAN-PAUL COTE INC.
CHARLESBOURG, (QUEBEC) CANADA
G1G 4E6

</div>

DIRECTIONS FOR USE:

1.   INITIAL DOSAGE FOR POOL WATER HAVING NO VISIBLE ALGAE IS
      100 ML OF POOL LIQUID ALGICIDE CONCENTRATE 40% PER 10 000 L
      OF POOL WATER.

2.   WEEKLY MAINTENANCE DOSAGE OF LIQUID ALGICIDE CONCENTRATE 40%
      IS 35 ML PER 10 000 LITRES.

3.   FOR POOL WATER HAVING VISIBLE ALGAE, SUPERCHLORINATE
      FOLLOWING LABEL INSTRUCTIONS OF SUPERCHLORINATION PRODUCT
      EMPLOYED AND WAIT FOR AT LEAST 24 HOURS BEFORE ADDING
      WEEKLY MAINTENANCE DOSAGE.

4.   FOR VISIBLE ALGAE, WHEN SUPERCHLORINATION IS NOT EMPLOYED,

ADD 150 ML OF   OF POOL LIQUID ALGICIDE CONCENTRATE 40% PER
10,000 LITRES.

PRECAUTIONS:

-     KEEP OUT OF REACH OF CHILDREN.

-     HARMFUL IF SWALLOWED.

-     DO NOT MIX WITH ANY OTHER CHEMICAL.

-     AVOID CONTACT WITH SKIN AND EYES.

-     RINSE CONTAINER THOROUGHLY BEFORE DISCARDING. DO NOT REUSE.

FOR INFORMATION ON THE DISPOSAL OF UNUSED, UNWANTED PRODUCT AND
THE CLEANUP OF SPILLS, CONTACT YOUR MUNICIPALITY, YOUR PROVINCIAL
MINISTRY OF ENVIRONMENT OR THE REGIONAL OFFICE OF ENVIRONMENT
CANADA.

FIRST AID: IF SPLASHED IN EYES OR ON SKIN, FLUSH THOROUGHLY WITH
WATER FOR 15 MINUTES. FOR EYE CONTACT, GET MEDICAL ATTENTION.
IF SWALLOWED, DRINK 2 TO 3 GLASSES OF MILK OR WATER. CALL A
PHYSICIAN IMMEDIATELY.

JPC ALC 1-4-20

****

+))