

# HORSE CLOTHING SPRAY

A long lasting garment spray for the protection of horses against mosquitoes.

For use only on 100% cotton-mesh greige Horsearound™ garments. Treated garments provide 7 weeks of continuous protection against mosquitoes

DOMESTIC  
READ THE LABEL BEFORE USING  
KEEP OUT REACH OF CHILDREN

WARNING POISON  
EYE AND SKIN IRRITANT

## GUARANTEE:

Permethrin	1.000%
Permethrin-related reaction products	0.087%
*N-Octyl bicycloheptene dicarboximide	4.688%
*MGK ® 264 Insecticide Synergist	

REG. NO: 26427 P.C.P. ACT

NET CONTENTS: 946 mL<sub>3-MAR-2006</sub>

#### DIRECTION FOR USE:

##### READ THE ENTIRE LABEL FIRST.

Follow all use directions and precautions carefully. Do not use this product for uses other than those listed on this label. Only use treated garment when mosquitoes are a problem. Shake well before using to completely emulsify the product. Wear chemical gloves when using this product. To be used only as treatment for 100% cotton-mesh greige HorseAround™ Clothing products. Adjust the trigger spray nozzle to deliver a fine spray and apply to any of the HorseAround™ garments when mosquitoes first become a nuisance. To apply, hang the untreated garments outside or in a well ventilated area and back them with a piece of thin plastic sheeting. Spray the OUTSIDE of each garment using a steady back and forth motion to ensure an even coverage to the entire area. 631 mL (2/3 of container) is required to treat either the HorseAround™ Stable Sheet or Riding Sheet. 315 mL (1/3 of a container) is required to treat the HorseAround™ Headpiece. The garment is ready to use when dry. Protection extends to all areas of the horse covered by a treated garment. Uncovered areas of the horse are not protected by treated HorseAround™ garments. Unprotected areas of the horse may need to be treated by a repellent or insecticide registered for horses. To prolong the effectiveness of the garment when not in use, seal in a plastic bag and store in a cold, dry place. After 7 weeks, if the effectiveness has decreased, wash the garment in warm water and detergent separate from other clothing before treating. Do not launder garments between treatments. Do not repeat application more often than once every seven weeks.

#### PRECAUTIONS:

KEEP OUT OF REACH OF CHILDREN. DO NOT TREAT ANIMALS DIRECTLY WITH THIS PRODUCT. Harmful if swallowed, in eyes, inhaled or on skin or clothing. Wash thoroughly with soap and water after use. Avoid inhaling vapor or spray mist. Remove contaminated clothing and wash before reuse. POTENTIAL SKIN SENSITIZER, Prolonged or frequently repeated skin contact may cause allergic skin reaction in some individuals. Not for use on humans. Not for use on animals destined for human consumption. Do not use this pesticide on sick, old or debilitated animals or on animals under drug or pesticide treatment. Before using on pregnant animals, consult a veterinarian. Do not use on animals less than six weeks old. This product is toxic to fish and other aquatic animals. Do not contaminate any body of water either with this concentrate or by cleaning of equipment. Do not use or store near heat or open flame, store in a cold, dry place. Avoid storage at temperatures below 0° Celsius. Keep in original container and preferably in a locked storage container. Keep container closed.

#### FIRST AID:

If swallowed, do not induce vomiting. Call a physician or Poison Control Centre immediately. Do not give anything by mouth to an unconscious person. If on skin, wash with plenty of soap and water. Get medical attention if irritation persists. If inhaled, remove victim to fresh air. If not breathing, give artificial respiration, preferably mouth to mouth. Get medical attention immediately. If in eyes, flush with plenty of water. Call a physician if irritation persists. Take container, label or product and Pest Control Product Registration Number with you when seeking medical attention.

#### TOXICOLOGICAL INFORMATION:

Treat symptomatically: if in eyes, can cause temporary irritation, tearing and blurred vision, if on skin, can cause mild irritation. Prolonged or repeated exposure can progress into dermatitis. Excessive inhalation can cause nasal and respiratory irritation, headache and dizziness. CONTAINS PETROLEUM DISTILLATE, ingestion can cause stomach irritation, resulting in nausea, cramps, and vomiting; may cause fatigue, dizziness, headaches, lack of coordination, tremors or unconsciousness.

#### DISPOSAL:

Do not reuse empty container. Wrap empty container in newspaper and discard in household garbage.

\*\*\*\*\*

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.