

92.03.05

AIRGUARD

KONK PRO

COMMERCIAL & FARM INSECT KILLER

READY TO USE PRESSURIZED SPRAY

COMMERCIAL

GUARANTEE:

PYRETHRINS.....0.5%
PIPERONYL BUTOXIDE.....5.0%

NET CONTENTS

680 GRAMS

REGISTRATION NO. 22263

PEST CONTROL PRODUCTS ACT

MANUFACTURED FOR: KEMSAN INC.
BOX 727, OAKVILLE, ONTARIO L6J 5C1

DANGER

EXTREMELY FLAMMABLE

EXPLOSIVE

READ THE LABEL BEFORE USING

DIRECTIONS: HOSPITALS, FOOD PROCESSING PLANTS, RESTAURANTS,
HOTELS, AND OTHER COMMERCIAL AND INDUSTRIAL BUILDINGS: FLIES,
GNATS, MOSQUITOES, WASPS AND FLYING MOTHS. SPACE SPRAY: HOLD CAN
UPRIGHT WHILE SPRAYING, DIRECT MIST UPWARD IN SWEEPING MOTION TO
ALL PARTS OF THE ROOM, ESPECIALLY WINDOWS AND OTHER LIGHT

SOURCES. APPLY A 6-10 SECOND BURST PER 30 m² OF SPACE. KEEP SPRAY AT LEAST 1 m FROM INTERIOR WALLS, FABRICS AND FURNITURE. WHENEVER POSSIBLE KEEP DOORS AND WINDOWS CLOSED FOR 15 MINUTES AFTER EACH TREATMENT. ENSURE PROPER VENTILATION AFTER SEALED AREAS HAVE BEEN TREATED AND CLEAN UP DEAD INSECTS.

CAUTION: IN MEAT PACKING AND FOOD PROCESSING PLANTS, ONLY SPRAY WHEN PLANT IS NOT IN OPERATION. NO EXPOSED FOOD PRODUCTS, INGREDIENTS OR PACKAGING MATERIALS TO BE LEFT IN THE ROOM. COVER FOOD HANDLING EQUIPMENT. ANY TREATED SURFACE THAT MAY CONTACT MEAT OR OTHER FOOD PRODUCTS, SHOULD BE WASHED AND RINSED THOROUGHLY WITH POTABLE WATER AFTER SPRAYING AND BEFORE RE-USE FOR FOOD PROCESSING.

CRAWLING INSECTS: COCKROACHES, SPIDERS, CRICKETS, ANTS, CARPET BEETLES, CENTIPEDES, AND SILVERFISH. APPLY TO INSECT HIDING PLACES AND BREEDING AREAS, SUCH AS BASEBOARDS, MOIST AREAS, OPENINGS AROUND SINKS, DRAINS AND PIPES, BEHIND CABINETS AND STORAGE AREAS. IF POSSIBLE HIT INSECTS DIRECTLY TO KILL. SPRAY ANT TRAILS, AROUND DOOR SILLS, WINDOW FRAMES OR IN ANT NEST.

BED BUGS: SPRAY MATTRESS, PARTICULARLY AROUND SEAMS AND TUFTS. TAKE BED APART, SPRAY JOINTS. REPEAT AS REQUIRED.

FLEAS: SPRAY SLEEPING QUARTERS OF PETS, OLD BEDDING SHOULD BE REMOVED AND REPLACED WITH CLEAN FRESH BEDDING AFTER TREATMENT.

LIVESTOCK SPRAY: HOUSEFLIES, STABLE FLIES, HORNFLIES, GNATS AND MOSQUITOES. SPRAY LIVESTOCK (BEEF AND DAIRY CATTLE) ONCE DAILY WITH FINE MIST. APPLY AT A RATE OF 6-8 SECONDS PER ANIMAL. WET ENDS OF THE HAIR ONLY, DO NOT SATURATE THE HAIR OR SKIN. DO NOT SPRAY IN ANIMALS EYES OR MOUTH. TREAT DAIRY CATTLE BEFORE MILKING. WASH UDDERS BEFORE MILKING. DO NOT USE MORE OFTEN THAN ONCE A DAY.

MILK PARLOURS AND MILK HOUSES: SPACE SPRAY. IN MILK PARLOURS AND MILK HOUSES, REMOVE ANIMALS FROM TREATMENT AREA BEFORE SPRAYING. DO NOT SPRAY OVER MILKING EQUIPMENT. DO NOT CONTAMINATE WATER TROUGH OR FEED. CLOSE ALL DOORS AND WINDOWS. SPRAY UPWARD TO FILL THE ROOM WITH A FINE MIST. LEAVE ROOM CLOSED FOR 15 MINUTES BEFORE VENTILATING. VENTILATE TREATED AREAS THOROUGHLY FOR AT LEAST 30 MINUTES BEFORE ANIMALS RE-ENTER.

PRECAUTION: KEEP OUT OF REACH OF CHILDREN. DO NOT REMAIN IN TREATED AREAS. ENSURE PROPER VENTILATION AFTER SEALED AREAS HAVE BEEN TREATED. DO NOT SPRAY DIRECTLY ON FOOD OR UTENSILS. REMOVE FISH BOWLS AND BIRD CAGES BEFORE SPRAYING. AVOID CONTACT WITH SKIN, EYES, CLOTHING AND INHALATION OF SPRAY MIST. COVER MILK AND MILKING UTENSILS TO PREVENT CONTAMINATION FROM SPRAY AND DEAD INSECTS. ANY TREATED SURFACES THAT MAY CONTACT FOOD OR FEED

PRODUCTS SHOULD BE WASHED THOROUGHLY WITH POTABLE WATER AFTER SPRAYING AND BEFORE RE-USE. WASH HANDS AFTER USING. IN FOOD PROCESSING PLANTS, AND FOOD SERVICE ESTABLISHMENTS APPLY ONLY WHEN PLANT IS NOT IN OPERATION. DO NOT USE IN NURSERIES OR ROOMS WHERE INFANTS, ILL OR AGED PERSONS ARE CONFINED.

CONTENTS UNDER PRESSURE: DO NOT PLACE IN HOT WATER OR NEAR RADIATORS, STOVES OR OTHER SOURCES OF HEAT. DO NOT PUNCTURE OR INCINERATE CAN OR STORE AT TEMPERATURES OVER 50 DEG CELSIUS. DO NOT SPRAY INTO OR NEAR OPEN FLAME.

DISPOSAL: WHEN CONTAINER IS EMPTY, PRESS VALVE TO RELEASE ALL REMAINING PRESSURE. DISPOSE OF EMPTY CONTAINER IN ACCORDANCE WITH PROVINCIAL REQUIREMENTS. FOR INFORMATION ON THE DISPOSAL OF UNUSED, UNWANTED PRODUCT AND THE CLEANUP OF SPILLS, CONTACT THE REGIONAL OFFICE OF CONSERVATION AND PROTECTION, ENVIRONMENT CANADA.

FIRST AID: IF SPRAYED IN EYES OR ON SKIN, FLUSH WITH CLEAN WATER. IF IRRITATION PERSISTS OBTAIN MEDICAL ATTENTION. IF ACCIDENTALLY SWALLOWED, OBTAIN MEDICAL ATTENTION AT ONCE.

NOTICE TO USER: THIS CONTROL PRODUCT IS TO BE USED ONLY IN ACCORDANCE WITH THE DIRECTIONS ON THIS LABEL. IT IS AN OFFENCE UNDER THE PEST CONTROL PRODUCTS ACT TO USE A CONTROL PRODUCT UNDER UNSAFE CONDITIONS.

LIMITATIONS OF WARRANTY: SELLER'S GUARANTEE SHALL BE LIMITED TO THE TERMS SET OUT ON THE LABEL AND SUBJECT THERETO, THE BUYER ASSUMES THE RISK TO PERSONS OR PROPERTY ARISING FROM THE USE OR HANDLING OF THIS PRODUCT AND ACCEPTS THE PRODUCT ON THAT CONDITION.

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))