

95/2000

ANTIBAC (R) B

ALL CHLORINE SANITIZER-GERMICIDE
DISINFECTANT DEODORANT

DANGER
CORROSIVE

READ THE LABEL BEFORE USING

REGISTRATION NO. 13440
PEST CONTROL PRODUCTS ACT

GUARANTEE: Sodium dichloro-(s)-triazinetriene 25.8%.

DIN 524123

NET 15 kg

DIVERSEY WYANDOTTE INC.
2645 Royal Windsor Drive
Mississauga, Ontario
L5J 1L1

DIVERSEY WYANDOTTE INC.
MISSISSAUGA, ONTARIO L5J 1L1

Branches:

Dartmouth, Candiac, P.Q., Winnipeg, Edmonton, Vancouver

Sanitary Products Ltd., St. John's Newfoundland

DIRECTIONS FOR USE: Glasses, Dishes, Utensils, Beverage and Food
Processing Equipment

1. Rinse thoroughly with clean water.
2. Wash with a recommended Diversey Wyandotte product.
3. Rinse with potable water.
4. Sanitize using a solution containing 63 g of ANTIBAC-B per 100 litres of water (100 ppm available chlorine). Test periodically with a chlorine tester. When the available

chlorine decreases to 50 ppm, discard.

Note: Beverage and food processing equipment should not be sanitized until just prior to reuse.

For Spray Method - use 125 g ANTIBAC-B per 100 litres of water (200 ppm available chlorine).

SANITIZING EGGS

1. Wash eggs with approved Diversey Wyandotte product.
2. Sanitize eggs in spray rinse containing 63 g ANTIBAC-B per litres of water (100 ppm available chlorine).

DEODORIZING AND DISINFECTING Refrigerators, walls, floors, cold storage rooms, refuse containers, dog kennels, poultry houses, etc. Use 125 g ANTIBAC-B litres of water (200 ppm available chlorine).

REPLACE COVER AFTER USE. STORE IN A COOL DRY PLACE.

ANTIBAC-B may be used in final rinse waters for sanitizing hard non-porous surfaces which have previously been cleaned with a suitable cleaning agent followed by a potable water rinse. Use concentrations of available chlorine must not exceed 200 ppm in final rinse waters and all reasonable precautions must be taken to avoid contamination of food. AVOID CONTAMINATION OF FOOD.

NOTICE TO USER: THIS CONTROL PRODUCT IS TO BE USED ONLY IN ACCORDANCE WITH THE DIRECTIONS ON THIS LABEL. IT IS AN OFFENCE UNDER THE PEST CONTROL PRODUCTS ACT TO USE A CONTROL PRODUCT UNDER UNSAFE CONDITIONS.

PRECAUTIONS: May be harmful if swallowed. Causes severe eye and skin damage. Wear goggles or face shield and rubber gloves when handling. Wash thoroughly after handling. Remove and wash contaminated clothing. Harmful if swallowed. Avoid contamination of food. Rinse empty container thoroughly with water and discard it.

Protect from moisture. Do not expose this product to heat in excess of 60°C as this may cause release of chlorine gas and may be injurious to life or health.

FIRST AID: In case of contact, flush skin or eyes with plenty of water for at least 15 minutes. For eyes, get immediate attention. Clean contaminated clothing before reusing. In case of accidental ingestion, swallow immediately milk, egg white, starch paste, milk of magnesia, aluminum hydroxide gel, or magnesium trisilicate gel. Avoid sodium bicarbonate because of the release of carbon dioxide. Do not use acidic antidotes.

NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON.

KEEP OUT OF REACH OF CHILDREN.

DO NOT STORE IN FOOD PROCESSING OR STORAGE AREAS.

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))