

19-DEC-1996  
Expires - 2002.12.31

((LABEL))

**KLOR™ G  
LAWN AND GARDEN  
GRANULAR INSECTICIDE**

KILLS SOIL INSECTS IN LAWNS, GARDENS AND  
ORNAMENTAL SHRUBS AND BUSHES

KEEP OUT OF REACH OF CHILDREN

DOMESTIC  
READ THE LABEL AND ATTACHED LEAFLET BEFORE USING

GUARANTEE: Chlorpyrifos.....0.5%

REG. NO. 24647 P.C.P. ACT

Distributed by:  
United Horticultural Supply  
R. R. #2  
Dorchester, Ontario  
NOL 1G5

United Agri Products  
R.R. #2  
Dorchester, Ontario  
NOL 1G5

**NET: 500 g**

**PRECAUTIONS:** Do not store granules with food, feed or drinking water. Do not use in poultry houses or other animal buildings. May cause irritation to skin or eyes; avoid contact. Avoid inhaling dust from granules. Wash thoroughly with soap and water after using.

**WARNING:** This product is toxic to fish and crustaceans. Avoid contamination of ornamental fish ponds and fish bowls.

**FIRST AID:** If swallowed, induce vomiting and seek medical attention or call Poison Control Centre immediately. Flush contaminated eyes and skin with plenty of water. For eyes, get prompt medical attention.

**TOXICOLOGICAL INFORMATION:** Chlorpyrifos is a cholinesterase inhibitor. Treat symptomatically. Atropine by injection only is an antidote.

**DISPOSAL:** Do not reuse empty container. Wrap empty container in newspaper and discard in household garbage, away from food, feed or water supplies.

((LEAFLET))

**KLOR™ G  
LAWN AND GARDEN  
GRANULAR INSECTICIDE**

**KILLS SOIL INSECTS IN LAWNS, GARDENS AND  
ORNAMENTAL SHRUBS AND BUSHES**

**KEEP OUT OF REACH OF CHILDREN**

**DOMESTIC**

**READ THE LABEL AND ATTACHED LEAFLET BEFORE USING**

**GUARANTEE: Chlorpyrifos.....0.5%**

**REG. No. 24647 P.C.P. ACT**

Distributed by:  
United Horticultural Supply  
R. R. #2  
Dorchester, Ontario  
N0L 1G5

United Agri Products  
R.R. #2  
Dorchester, Ontario  
N0L 1G5

**NET: 500 g**

## DIRECTIONS FOR USE

### Turf and Lawns

Make no more than 2 applications per season.

WHITE GRUBS, EUROPEAN CHAFER LARVAE, JAPANESE BEETLE LARVAE - Apply 400 g per 10 m<sup>2</sup> and water into turf. Apply when grubs are small and feeding near soil surface, usually in late July or August.

ANTS - Apply 200 g per 10 m<sup>2</sup>. Treat ant nests and trails.

CHINCH BUGS - Apply 200 g per 10 m<sup>2</sup> at first sign of damage. Water thoroughly. Keep off lawn until dry.

SOD WEBWORMS - Apply 200 g per 10 m<sup>2</sup> at first sign of damage. Water thoroughly. Keep off lawn until dry.

### Ornamentals Shrubs and Bushes

ANTS, CRICKETS, EARWIGS, SOWBUGS, SPIDERS, CUTWORMS, WHITE GRUBS, EUROPEAN CHAFER LARVAE AND JAPANESE BEETLE LARVAE.

Apply to turf or to soil around plants at a rate of 400 g per 10 m<sup>2</sup>. Make no more than 2 applications per season.

### Gardens

CUTWORMS, ROOT MAGGOTS - Apply if damage is expected. Use on broccoli, Brussels sprouts, cabbage, Chinese cabbage, cauliflower, carrots, celery, cucumbers, green peppers, onions, potatoes, sweet corn and tomatoes. Apply at 200 g per 10 m<sup>2</sup> of soil surface before planting or transplantation. Do not make more than one application per year. Rake soil lightly to incorporate granules into top 5 cm of soil. Do not use on green bunching onions.

### Days to wait between application and harvest:

Broccoli	32 days
Brussels sprouts	32
Cabbage	32
Carrots	60
Chinese cabbage	32
Cauliflower	32
Celery	70
Cucumbers	60
Green Peppers	40
Onions	60
Potatoes	7
Sweet Corn	70
Tomatoes	70

**PRECAUTIONS:** Do not store granules with food, feed or drinking water.

Do not use in poultry houses or other animal buildings. May cause irritation to skin or eyes; avoid contact. Avoid inhaling dust from granules. Wash thoroughly with soap and water after using.

**KEEP OUT OF THE REACH OF CHILDREN.**

**WARNING:** This product is toxic to fish and crustaceans. Avoid contamination of ornamental fish ponds and fish bowls.

**FIRST AID:** If swallowed, induce vomiting and seek medical attention or call a Poison Control Centre immediately. Flush contaminated eyes and skin with plenty of water. For eyes, get prompt medical attention.

**TOXICOLOGICAL INFORMATION:**

Chlorpyrifos is a cholinesterase inhibitor. Treat symptomatically. Atropine by injection only is an antidote.

**DISPOSAL:**

Do not reuse empty container. Wrap empty container in newspaper and discard in household garbage, away from food, feed or water supplies.

**NOTICE TO BUYER**

Seller's guarantee shall be limited to the terms set out on the label and subject thereto, the buyer assumes the risk to persons or property arising from the use or handling of this product and accepts the product on that condition.

\*\*\*\*\*

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))