

[FRONT PANEL - ENGLISH]

GREEN CROSS® [LOGO]

CREEPY CRAWLY®
INDOOR/OUTDOOR INSECT CONTROL

READY-TO-USE

DOMESTIC

INSECTICIDE

NET CONTENTS: 2 L, 2.5 L, 3 L

GUARANTEE:

Permethrin 0.25%

Contains 1,2-Benzisothiazolin-3-one at 0.0193% as a preservative

REGISTRATION NO.: 27067
P.C.P. ACT

READ THE LABEL BEFORE USING
KEEP OUT OF REACH OF CHILDREN

Scotts Canada Ltd.
2000 Argentia Road
Plaza #5, Suite 101
Mississauga, Ontario
L5N 2R7

[BACK PANEL - ENGLISH]

OPEN
Resealable Label
for Additional Product
Information

GREEN CROSS® [LOGO]

CREEPY CRAWLY®
INDOOR/OUTDOOR INSECT CONTROL

APPLICATOR DIRECTIONS:

QUICK CONNECT SPRAYER	[DIAGRAM 1] Remove sprayer. Pull cord <u>ALL</u> <u>THE WAY OUT.</u>	[DIAGRAM 2] Insert red plug into spout (on cap) until it clicks.	[DIAGRAM 3] Flip up spout. Open nozzle at end of sprayer.
--------------------------	---	--	--

Adjust spray nozzle to deliver a stream for cracks and crevices or a coarse spray for other areas. Hold sprayer 30 cm (12 inches) from the insect or surface being sprayed.

STORAGE: Rotate nozzle to closed position. Close nozzle on trigger sprayer. Store product in original container in a safe place. Keep from freezing.

FOR INDOOR & OUTDOOR USE:

- Under Carpets & Rugs
- Floors & Baseboards
- Cracks & Crevices
- Behind Shelves & Drawers
- Points of entry such as Windows & Doorframes
- Pet Beds
- Storage areas such as Chests, Closets and Bureaus
- Gardens

Questions, Comments or Medical Information

Call 1-800-668-5669 or visit our Web Site at www.greencrosscanada.com

[BACK PANEL INSIDE - ENGLISH]

DIRECTIONS FOR USE:

SHAKE WELL BEFORE USING. DO NOT transfer product to another container.

**INDOOR APPLICATION
SURFACE SPRAYING**

For spot treatment only.

Do not use as a space spray or broadcast application indoors.

Cockroaches, crickets, sowbugs, silverfish, firebrats, spiders, rice weevils and red flower beetles:

- Direct the spray into hiding places, cracks and crevices and behind shelves and drawers. For silverfish, spray bookcases.

Ants:

- Spray trails, nests and points of entry.

Carpet beetles:

- Spray edges of carpeting and under carpeting and rugs for approximately 10 seconds duration.
- Make localized application to floor and baseboards.
- Spray directly into cracks, crevices and infested areas of shelving. Repeat treatment as needed.

Fleas (adult and larvae) and ticks (adult and larvae)

- Thoroughly spray infested areas, pet beds, resting quarters, nearby cracks and crevices, along and behind baseboards, moldings, window and doorframes. Apply to infested floor areas as a spot spray only, not as a space or broadcast spray. Fresh bedding should be placed in animal quarters following treatment. Repeat treatment as needed. Allow to dry thoroughly before allowing pets to contact treatment areas.

Clothes moths:

- Remove any infested articles from storage, brush thoroughly and air for several hours in sunlight, if possible. Apply spray liberally to empty chests, closets, bureaus and other storage areas directing the spray in cracks, joints and crevices. After airing, infested articles may be treated lightly, keeping nozzle at least 90 cm (3 feet) from fabric to avoid staining. Allow articles to dry before handling and launder clothes before wearing.

OUTDOOR APPLICATION

Ticks:

- To help control ticks in outdoor activity areas, treat a band of vegetation and leaf litter 1.8 to 3 metres (6-10 feet) wide and adjacent to activity areas, especially where dense vegetation occurs.

Whiteflies and aphids:

- May be used on plants as a multi-purpose spray in small gardens and for spot treatments of incipient insect infestations to prevent spreading in large garden areas.
- For use on African violets, asters, begonias, camellias, carnations, chrysanthemums, dahlias, delphiniums, dogwood, English ivy, euonymus, fuchsia, geraniums, crassula, grape vines, kentia palms, laurels, marigolds, rhododendrons, roses, rubber plants, snapdragons, stock, wandering Jews and zinnias.

Pavement ants:

- Spray trails, nests and points of entry.

DISPOSAL:

Do not reuse empty container. Wrap in several layers of newspaper and discard in trash.

PRECAUTIONS:

KEEP OUT OF REACH OF CHILDREN. Wash thoroughly after handling and before smoking or eating. Avoid contamination of food, feed, cooking utensils or drinking water. Remove pets and birds and cover fish aquarium before surface applications. After use and at least one (1) hour drying time, wash all surfaces that may contact food. Do not use on humans. Do not allow people or pets to contact treated areas until surfaces are dry.

This product is extremely toxic to fish and aquatic invertebrates. Do not apply directly to lakes, rivers, streams, ponds, tidal marshes and estuaries. Do not contaminate the above-mentioned aquatic areas through spray drift, cleaning of equipment or disposal of waste.

This pesticide is highly toxic to bees exposed to direct treatment or to residues remaining on the treated area. Do not apply this product or allow drift when bees are actively visiting the treatment area. Applications should be timed to provide the maximum interval between treatment and the next period of bee activity.

FIRST AID:

If in eyes, rinse with clean water for 15 minutes. If on skin, wash off with soap and water. If irritation persists, seek medical attention. If swallowed give patient 1 to 2 glasses of water and induce vomiting by inserting finger into mouth and touching the back of throat. Contact a doctor or poison control centre immediately. Never give anything by mouth to an unconscious person. Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

TOXICOLOGICAL INFORMATION:

Treat symptomatically.

Questions , Comments or Medical Information

Call 1-800-668-5669 or visit our Web Site at www.greencrosscanada.com

®Registered trademark of The Scotts Company, Scotts Canada Ltd. licensee

Canada Patent No. 2,178,002

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.