

85.12.31

RIDDEX B1 RESIDUAL INSECTICIDE

NET CONTENTS

COMMERCIAL

CONTAINS BAYGON INSECTICIDE

GUARANTEE: PROPOXUR 1%

REGISTRATION NUMBER 11085
PEST CONTROL PRODUCTS ACT

READ THE LABEL BEFORE USING

KEMSAN INC
P.O. BOX 727
OAKVILLE ONTARIO
L6J 5C1
Telephone (416) 845-2271

Formulating A Better Future For You

Riddex B1 residual insecticide is a premium, long lasting insecticide for use in food processing plants, mills, warehouses, empty transportation equipment, food handling establishments and dwellings.

DIRECTIONS

GENERAL. Application should be made as a coarse spray (using a pressure sprayer with a large orifice to prevent "misting"). Spray surfaces to point of run-off (5 litres to 100 square meters of surface area), where infestation is present, such as floors and walls with particular attention to baseboard, cracks, crevices, and other localized areas where insects are present. Repeat applications as necessary to maintain control.

EXPOSED STAGES OF ANGOUMOIS GRAIN MOTH, CIGARETTE BEETLE, DRUGSTORE BEETLE, INDIAN MEAL MOTH, MERCHANT GRAIN BEETLE, SAW TOOTHED GRAIN BEETLE AND WEEVILS.

Thoroughly treat floor and the walls of the infested area with attention to cracks, crevices, corners and perimeters. Sanitation and dust control are of primary importance. Fumigate or destroy infested products.

ANTS. Apply as a coarse, wet sprat to trails and places where ants enter premises, such as windows and door sills.

COCKROACHES. Treat all insect breeding places and harbourages and adjacent exposed surfaces.

BUILDING, OUTDOOR SURFACES FOR CONTROL OF ANTS, CENTIPEDES, CLOVER MITES, CRICKETS, EARWIGS, FLEAS, FLIES, GNATS, MILLIPEDES, MOSQUITOES, SANDFLIES, AND SOWBUGS. Apply to infested areas including outside surfaces of screens, doors, window frames, foundations and other places where insects enter premises. For control of ants, spray hills and runways. For control of clover mites, give special attention to window sills.

HORNETS AND WASPS. Apply a coarse wet spray to nests, preferably after dark when the insects are inside the nests.

BROWN DOG TICKS. Treat animal sleeping quarters and areas around baseboards, window and door frames, wall cracks and local areas of floors. Repeat as necessary to maintain control. After spraying, place fresh bedding in animal quarters. Do not apply insecticide to animals or pets.

CAUTION. In meat and food processing plants, only apply when plant is not in operation. No exposed food products, ingredients, or packaging materials to be left in the room. Cover food handling equipment. Any treated surfaces that may contact meat food products or other food products should be washed and rinsed thoroughly with potable water after application and before re-use for food processing.

PRECAUTIONS

Treat food processing plants early in the season, before canning or other processing begins. Repeat applications, if necessary, when the plant is not in operation. Do not use as a space spray. Keep out of reach of children. May be harmful if swallowed,

inhaled or absorbed through the skin. Provide adequate ventilation of area being treated. Avoid contact with skin, eyes, and clothing. Wash all contaminated clothing with soap and hot water before re-use. Avoid breathing spray mist. Wash thoroughly with soap and water after handling. Do not allow children to contact treated areas until thoroughly dry. Do not contaminate food, utensils, food containers or food preparation areas. Remove pets and cover fishbowls before spraying. Toxic to bees, fish and wildlife. Do not contaminate any body of water or animal feeding areas.

FIRST AID

In case of poisoning call a physician immediately. If swallowed induce vomiting by giving 15 mL of salt in a glass of warm water. Administer milk or water freely and again induce vomiting until vomit fluid is clear. If on skin remove contaminated clothing and wash skin immediately with soap and warm water. If eyes are contaminated, wash immediately with flowing water for at least 15 minutes. Obtain medical attention.

TOXICOLOGICAL INFORMATION

The compound inhibits cholinesterase resulting in stimulation of the central nervous system. The results in a sense of "tightness" in the chest, sweating, contracted pupils, stomach pains, vomiting and diarrhea. The antidote is atropine sulphate administered in large therapeutic doses repeated as necessary to the point of tolerance. Do not give morphine. Watch for pulmonary edema, which may develop in serious cases of poisoning even after 12 hours. At first sign of pulmonary edema, the patient should be placed in an oxygen tent and treated symptomatically.

NOTICE TO BUYER. Seller's guarantee shall be limited to the terms set out on the label and subject thereto. The buyer assumes the risk to persons or property arising from the use or handling of this product and accepts the product on that condition.

NOTICE TO USER. This control product is to be used only in accordance with the directions on this label. It is an offence under the Pest Control Products Act to use a control product under unsafe conditions.

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))