

93.01.05

AG-472

COMMERCIAL

DANGER

POISON CORROSIVE

READ THE LABEL BEFORE USING

REGISTRATION NO. 14592
PEST CONTROL PRODUCTS ACT

GUARANTEE:

n-ALKYL (5% C12, 60% C14, 30% C16, 5% C18) DIMETHYL BENZYL
AMMONIUM CHLORIDES 25%; BIS TRI-N-BUTYL TIN OXIDE 5%.

NET CONTENTS

DEXTER WATER MANAGEMENT SYSTEMS CANADA INC.
93 GOMEZ
WINNIPEG, MANITOBA
R3B 0G7
(204)942-3418

DEXTER SYSTEMES DE GESTION DES EAUX (CANADA) INC.
500 RUE MELOCHE
DORVAL, QUEBEC
H9P 2T2
(514) 636-4420

LIQUID MICROBIOCIDE FOR CONTROL OF ALGAE, BACTERIA AND FUNGI IN
OPEN RECIRCULATING WATER COOLING SYSTEMS AND OTHER SIMILAR
INDUSTRIAL APPLICATIONS. CONTAINS n-ALKYL (5% C12, 60% C14, 30%
C16, 5% C18) DIMETHYL BENZYL AMMONIUM CHLORIDES AND BIS
TRI-N-BUTYL TIN OXIDE.

DIRECTIONS FOR USE

Dosages and method of application of Dexter AG-472 will depend on
the type of equipment to be treated, the type and quality of
microbiological life involved, and various environmental
conditions such as temperature, pH of water in the system, the
type of nutrients and/or contaminants present in the system.

Prior to using Dexter AG-472 systems must be cleaned to remove
algae growth, microbiological slime and other deposits.

The following dosages are representative averages and may vary in

specific individual cases.

Initial dosage of Dexter AG-472 should be 0.5 to 1 litre per 10,000 litres of water in the system.

Continuing dosages should be applied at 0.1 to 0.5 litres of Dexter AG-472 per 10,000 litres of water in the system at intervals of 2 to 5 days depending upon the amount of bleed-off, or as needed to maintain satisfactory control (consult your local Dexter Water Treatment Representative).

Slug additions should be made to cooling tower basin or cold water sump, or at an alternate point which provides good mixing.

PRECAUTIONS

KEEP OUT OF REACH OF CHILDREN

Harmful if swallowed. Do not get in eyes. Avoid contact with skin. Wear synthetic rubber or plastic coated gloves when handling. In the event of contact with clothing, remove contaminated clothing and wash thoroughly with soap and water before re-use. Do not use where food is processed or stored. This product is toxic to fish. Treated effluent should not be discharged where it will drain into lakes, streams, ponds or public water.

DISPOSAL:

1. Rinse the emptied container thoroughly and add the rinsings to treatment site.
2. Follow provincial instructions for any required additional cleaning of the container prior to its disposal or reconditioning.
3. Dispose of the container in accordance with provincial requirements.
4. For information on the disposal of unused, unwanted product and the cleanup of spills contact the regional office of Environment Canada.
5. For small spills. Recover free liquid. Soak up residue with solids absorbent. DO NOT FLUSH INTO SURFACE STREAMS, INFORM ENVIRONMENT CANADA AS IN #4.

FIRST AID

In case of contact flush with plenty of water for at least 15 minutes. If eye irritation persists get medical attention. If swallowed, drink milk, egg whites, gelatine solutions, or if these are not available, drink large quantities of water. Call a doctor or nearest poison control center.

TOXICOLOGICAL INFORMATION:

Probable mucosal damage may contraindicate the use of gastric

lavage. Measures against circulatory shock, respiratory depression and convulsions may be needed.

NOTICE TO USER:

This control product is to be used only in accordance with the directions on this label. It is an offence under the Pest Control Products Act to use a control product under unsafe conditions.

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))