

96.09.16

FOR INDUSTRIAL USE ONLY

RESTO

Liquid DISINFECTANT SANITIZER

REGISTRATION NO. 20126.01

PEST CONTROL PRODUCTS ACT

GUARANTEE:

n-Alkyl Dimethyl Benzyl Ammonium Chloride
(40% C12, 50% C14, 10% C16) 10.00%

DIN No. 02173131

READ THE LABEL BEFORE USING

NET CONTENTS: L

PRODUITS SANITECH
12890 - 2e Avenue
St. Georges de Beauce, Québec
G5Y 1Y3

A DISINFECTANT AND SANITIZER FOR USE IN FOOD PROCESSING PLANTS,
DAIRIES, RESTAURANTS, PUBLIC REST ROOMS. EXCELLENT DEODORIZER.

GENERAL SANITIZER:

For equipment in food processing plants - For dairy equipment
milk cans, milking machine and pasteurizer: For glassware,
silverware, dishes, cooking utensils, etc. Clean and rinse
surfaces thoroughly: apply with a cloth, a sponge, a dish mop, or
immerse in a solution of 2.0 mL of RESTO per litre of water for
one minute. Rinse with potable water and air-dry. Prepare a
fresh solution for each use.

GENERAL DISINFECTION:

After cleaning and rinsing surfaces; apply with a cloth, sponge or floor mop a solution of 6.25 mL of RESTO per litre of water. Excellent disinfectant and deodorizer in rest rooms and food processing plants. Contact time; disinfection and deodorizer in rest rooms and food processing plants. Contact time; disinfection, 10 minutes; sanitizing 60 seconds. Air dry.

MOLD control on floor and walls in food plants; clean and rinse surfaces thoroughly, apply or spray with solution containing 6.25 mL of RESTO per litre of water. Repeat when new growth appears.

IMPORTANT: DO NOT MIX WITH SOAPS OR DETERGENTS.

PRECAUTIONS: DANGER - Corrosive to the eyes. May cause skin irritation. Avoid eye contact with diluted or undiluted product. Avoid contact on skin.

FIRST AID: In case of contact, flush eyes or skin with plenty of water. For eyes, call a physician. If swallowed, drink milk or large quantities of water. Call a physician or poison control centre immediately.

NOTICE TO USER:

This control product is to be used only in accordance with the directions on this label. It is an offence under the Pest Control Products Act to use a control product under unsafe conditions.

DISPOSAL:

1. Rinse the emptied container thoroughly and add the rinsings to the treatment site.
2. Follow provincial instructions for any required additional cleaning of the container prior to its disposal.
3. Make the empty container unsuitable for further use.
4. Dispose of the container in accordance with provincial requirements.
5. For information on the disposal of unused, unwanted product and the cleanup of spills, contact the Provincial Regulatory Agency or the Manufacturer.

TOXICOLOGICAL INFORMATION:

Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed.

ALL SURFACES SUBJECT TO FOOD CONTACT MUST BE
THOROUGHLY RINSED WITH WATER OF POTABLE QUALITY

KEEP FROM FREEZING

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))