

16-NOV-2005

20-OCT-2010 2010-5074 Notification : Change in registrant address

**GROUP 1B INSECTICIDE**

**SNIP ® Fly Bait**

With fly sex attractant, Z-9-tricosene

Attracts and Kills House Flies

**AGRICULTURAL**

**GUARANTEE:**

Azamethiphos.....	1.00 %
(Z)-9-tricosene.....	0.02 %

REGISTRATION NO. 25,808 PEST CONTROL PRODUCTS ACT

**READ THE LABEL BEFORE USING**

**KEEP OUT OF REACH OF CHILDREN**

**POTENTIAL SKIN SENSITIZER**



**CAUTION**

**POISON**

NET CONTENTS: 2 kg  
NOVARTIS Animal Health Canada Inc.

~~Suite 400, Plaza 3~~  
~~2000 Argentia Road~~  
~~Mississauga, Ontario~~  
~~L5N 1V9~~  
1 800 387 6325

Suite 205  
2233 Argentia Road  
Mississauga, ON L5N 2X7

Notification Change

**DIRECTIONS FOR USE:**

SNIP Fly Bait is a new fly bait formula containing a house fly sex attractant which encourages both male and female house flies to remain in the treated area, thereby feeding on the bait. Bait should be scattered over fly feeding areas and places where flies are known to congregate daily, or as needed to provide initial knockdown and reduction of house fly populations. Scatter bait at a rate of 250 g per 100 m<sup>2</sup> from a container or other device to avoid handling bait. Bait may also be used in hanging or stationary tamper-resistant bait boxes in locations not accessible to children, pets, domestic animals or wildlife. When used in areas accessible to birds, bait must be placed in a bait station which prevents birds from consuming the bait. SNIP Fly Bait should be used as part of an integrated pest management program for house flies.

**Areas of Use:**

May be used in agricultural buildings (e.g. barns, poultry houses, etc.) in areas where house flies congregate such as window sills and near animal pens providing the bait is kept out of reach of animals. Do not use on walkways used by animals.

**PRECAUTIONS:**

KEEP OUT OF REACH OF CHILDREN, PETS, DOMESTIC ANIMALS AND WILDLIFE. Harmful if swallowed, inhaled or absorbed through the skin. Wear chemical-resistant gloves during application. Do not get in eyes, on skin, or on clothing. Wash arms, hands, and face with soap and water after handling and before eating or smoking. Do not contaminate feed, water, food or litter through application or disposal of product. Do not apply bait where animals can pick it up or lick the product. Do not place in piles. Prevent accidental transfer of the product, by people or animals, from treated areas to areas used by livestock. Shoes should always be cleaned to remove granules before leaving treated areas.

This product is toxic to fish and wildlife. Keep out of lakes, streams or ponds. Do not contaminate water by cleaning of equipment or surfaces, or by the disposal of wastes.

**RESISTANCE MANAGEMENT:**

For resistance management, azamethiphos is a Group 1B insecticide, Any house fly population may contain individuals naturally resistant to azamethiphos and other Group 1B insecticides. The resistant individuals can dominate the house fly population if these insecticides are used repeatedly. These resistant house flies will not be controlled by azamethiphos or other Group 1B insecticides. To delay insecticide resistance, avoid exclusive, repeated use of Snip Fly Bait or other Group 1B insecticides. Keep accurate records of insecticides used in your operation. Keep the house fly population as low as possible by manure management.

**FIRST AID INSTRUCTIONS:**

**If in eyes**, flush with water for 15 minutes. If irritation persists, seek medical attention or contact a poison control centre. **If on skin**, wash affected area thoroughly with soap and water. **If swallowed**, give patient one or two glasses of water and induce vomiting by touching back of throat with a finger or blunt object; repeat until vomitus is clear. Do not induce vomiting or give anything by mouth to an unconscious person. Seek medical attention or contact Poison Control Centre immediately. Take container, label or product name and Pest Control Product Registration number with you when seeking medical attention.

**TOXICOLOGICAL INFORMATION:**

Azamethiphos is a cholinesterase inhibitor. Atropine is antidotal.

**STORAGE AND DISPOSAL:**

Store bait in original, tightly sealed container. Store in a cool, dry place. Do not contaminate water, food or feed by storage or disposal. Do not reuse empty container. Dispose of unused or spoiled bait in accordance with local requirements. Follow provincial instructions for any required cleaning of the container prior to its disposal. Make the empty container unsuitable for further use. Dispose of the container in accordance with provincial requirements. For information on the disposal of unused,

unwanted product and the cleanup of spills, contact the Provincial Regulatory Agency or the Manufacturer.

**NOTICE TO USER:** This control product is to be used only in accordance with the directions on this label. It is an offense under the Pest Control Products Act to use a control product under unsafe conditions.

**NOTICE TO BUYER:** Seller's guarantee shall be limited to the terms set out on the label and, subject thereto, the buyer assumes the risk to persons or property arising from the use or handling of this product and accepts the product on that condition.

\*\*\*\*\*

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.