

98/2003

Net Contents 4.5 L

CCS 06-3571-01-000

Profilm*

Fumigant concentrate solution

Vapor-Phase Surface Disinfecting Fumigant
which slowly decomposes yielding
formaldehyde.

The modern method of formaldehyde fumigation for farm and hatchery buildings, vehicles and equipment used in livestock and poultry production.

GUARANTEE: 2-(Hydroxymethyl)-2-Nitro-1,3 Propanediol 19.56%, Formaldehyde 2,28%, Alkyl (C8-1%, C10-1%, C12-67%, C14-25%, C16-7%, C18-1%) dimethyl benzyl ammonium chloride 3.09%.

AGRICULTURAL

REGISTRATION NO. 15508
PEST CONTROL PRODUCTS ACT

READ THE LABEL BEFORE USING.

Upjohn
Pharmacia & Upjohn Animal Health
40 Centennial road
Orangeville, Ontario L9W 3T3

PROFILM Disinfectant Concentrate solution has a built-in time release of formaldehyde for the final disinfection of farm and hatchery buildings, vehicles and equipment. Little or no formaldehyde odour will be detected.

DIRECTIONS FOR USE:

Simply dilute with water as directed below and apply by spray or manual methods. Allow to air dry after assuring a minimum contact time of 10 minutes.

	Use Dilution	PROFILM	Water
Final disinfection	1:128	40 mL	5 L

Farm Buildings, Vehicles, etc:

Evacuate animals from buildings or vehicles. Remove all litter and manure from floors, walls and surfaces of barns, pens, stalls, chutes and other facilities. Preclean all surfaces using a germicidal detergent (e.g. PROSOVET or PROQUAT. Then thoroughly wet all surfaces with PROFILM Solution. Ventilate buildings and other closed spaces and allow treatment to dry before housing livestock.

Livestock Equipment:

Empty all feeding and watering equipment. Preclean all equipment using a germicidal detergent as above. Then thoroughly wet all parts of the equipment with PROFILM Solution. Immerse all halters, ropes, forks, shovels and scrapers as well as other types of equipment. Do not spray onto feed to be consumed by animals or birds. Rinse feeders and waterers thoroughly with potable water prior to reuse.

TOXICOLOGICAL INFORMATION:

Probable mucosal damage may cause nausea, vomiting and occasionally diarrhea. Measures against circulatory shock, as well as oxygen and measures to support breathing manually or mechanically may be needed. Vapours may cause mucosal irritation, contact hypersensitivity, dyspnea, headache, nausea, acidosis and cardiac palpitation. Ingestion may cause shock, dysuria, haematuria, anuria, vertigo, convulsions, CNS depression and respiratory failure.

Also contains methanol 0.68%.

Oral LD50 (rat): 19.1 g/kg.

PRECAUTIONS: KEEP OUT OF REACH OF CHILDREN. Harmful if swallowed. WARNING - eye irritant.

FIRST AID INSTRUCTIONS:

If swallowed, induce vomiting. Never give anything by mouth to an unconscious person. Call a physician. If the material comes in contact with eyes, flush immediately with water.

DISPOSAL:

1. Rinse the emptied container thoroughly and add the rinsings to treatment site.
2. Follow provincial instructions for any required additional cleaning of the container prior to its disposal or reconditioning.
3. Dispose of the container in accordance with provincial requirements.
4. For information on the disposal of unused, unwanted product and the cleanup of spills contact the regional office of Environment Canada.

5. For small spills. Recover free liquid. Soak up residue with solids absorbent. DO NOT FLUSH INTO SURFACE STREAMS, INFORM ENVIRONMENT CANADA AS IN # 4.

NOTICE TO USER: This control product is to be used only in accordance with the directions on this label. It is an offence under the Pest Control Products Act to use a control product under unsafe conditions.

* Trademark: **PROFILM**

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))