

03-DEC-2003

RAID® RESIDUAL

HOUSEHOLD INSECT SPRAY

KILLS ANTS, COCKROACHES, EARWIGS, MILLIPEDES AND CERTAIN OTHER SPECIFIED CRAWLING INSECTS

DOMESTIC

DANGER



POISON



FLAMMABLE

READ THE LABEL BEFORE USING

KEEP OUT OF REACH OF CHILDREN

(See rear panel for first aid and danger statements)

GUARANTEE: Propoxur 1%

REGISTRATION NO. 9572 PEST CONTROL PRODUCTS ACT

NET CONTENTS ____MILLILITRES

S.C. Johnson and Son, Limited
1 Webster Street
Brantford, Ontario
N3T 5R1

This product contains petroleum distillates. Do not spray into or near open flame. Do not smoke while using. Keep container away from stoves, radiators and other hot surfaces

Raid Household Insect Spray provides rapid kill of insects listed below.

American dog ticks, fleas, saw-toothed grain beetle (exposed stage), ants, flies, silverfish, brown dog ticks, gnats sowbugs, clover mites, hornets, wasps, crickets, mosquitoes, earwigs.

In addition to rapid kill RAID Household Spray stays on treated surfaces and kills insects through residual action.

DIRECTIONS FOR USE: RAID Household Insect Spray is ready to use undiluted as it comes from the can, and may be applied with either power operated or hand sprayers. Apply as a coarse spray to infested surfaces until wet, moving the spray stream rapidly enough to prevent excessive wetting of surfaces and waste material. Direct spray away from people, plants and pets.

INDOOR USE:

Ants, Cockroaches, Crickets, Silverfish, Saw-toothed grain beetles(exposed sage): Spray into cracks and crevices, around baseboards and other places where these insects hide. Apply behind and beneath cabinets, refrigerators, sinks, stoves, and in and around waste containers. For ants, spray trails and places where ants enter premises. Repeat as needed. Do not spray foodstuffs or house plants. Remove pets, cover fish bowls before spraying. Applications may be made to floor surfaces along baseboards and around air ducts, however, do not treat entire area of floors or floor covering.

American and Brown Dog Ticks: Spray sleeping quarters of pets, around baseboards, window and door frames, wall cracks and local areas of floors. Repeat as needed. Fresh bedding should be placed in animal quarters after spraying. Do not spray animals.

OUTDOOR USE:

Ants, Clover mites, Crickets, Earwigs, Fleas, Flies, Gnats, Hornets, Millipedes, Mosquitoes, Sowbugs, American and Brown Dog Tick and Wasps: Spray infested areas thoroughly including outside surfaces of screens, doors, window frames, foundations, patios, or other places where insects may enter. For ants, spray hills and runways. For control of wasps and hornets, spray nests at night. Repeat as necessary. Do not spray vegetation.

LIMITATIONS

Do not apply to rugs, carpets, draperies, wallpaper, or similar materials that may be stained. Avoid excessive wetting or plastic, rubber and asphalt materials such as tiles and floor coverings.

Spray only on surfaces. Do not use as a space spray.

Do not apply to humans, animals or plants.

PRECAUTIONS: KEEP OUT OF REACH OF CHILDREN.

May be harmful if swallowed, inhaled or absorbed through the skin. Avoid breathing of spray mist and provide adequate ventilation of area being treated. Contact with skin, eyes or clothing should also be avoided. Wash thoroughly after using. Avoid Contamination of food, utensils and food preparation areas.

Do not contaminate feed or food.

Wash hands, arms and face thoroughly with soap and warm water after handling. Wash contaminated clothing with soap and hot water before reuse.

Remove pets and cover fish aquariums before spraying. Do not allow children or pets to contact treated surfaces until they are dry.

STORAGE AND DISPOSAL:

Store In a cool, dry place and in such a manner as to prevent cross contamination with other pesticides, fertilizers, food and feed. Store in original container and out of the reach of children, preferably in a locked storage area.

DISPOSAL: Do not reuse container. Securely wrap original container in several layers of newspaper and discard in household garbage.

FIRST AID: In case of poisoning, call a physician or Poison Control Centre IMMEDIATELY. Have patient lie down and keep quiet.

If on skin, wash IMMEDIATELY with soap and warm water. If irritation occurs, get medical attention. **If eyes are contaminated**, wash with plenty of water. Get medical attention. **If inhaled**, remove to fresh air. If not breathing, give artificial respiration, preferably mouth to mouth. Get medical attention. **If swallowed:** Call a physician or Poison Control Centre. Do not induce vomiting. Vomiting may cause aspiration hazard.

Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

TOXICOLOGICAL INFORMATION: The compound inhibits cholinesterase resulting in stimulation of the central nervous system. This results in a sense of "tightness" in the chest, sweating, contracted pupils, stomach pains, vomiting and diarrhea. The antidote is atropine sulfate administered in large therapeutic doses repeated as necessary to the point of tolerance. Do not give morphine. Watch for pulmonary edema, which may develop in serious cases of poisoning even after 12 hours. At first sign of pulmonary edema, the patient should be placed in an oxygen tent and treated symptomatically.

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.