

96.01.15

CLEANER * DISINFECTANT * DEODORIZER * FUNGICIDE

LIQUID DUALQUAT

SANITERGE

COMMERCIAL

CAUTION

CORROSIVE

GUARANTEE:

n-Alkyl (5% C12 60% C14 30% C16 5% C18)
dimethyl benzyl ammonium chlorides.....2.25%
n-Alkyl (68% C12 32% C14) dimethyl
ethylbenzyl ammonium chlorides.....2.25%

REGISTRATION No. 13925
PEST CONTROL PRODUCTS ACT

NET CONTENTS

READ THE LABEL BEFORE USING

DIN No. 343595
LOT No.

MANUFACTURED BY:

DILMONT
121 CHEMIN BATES, MONTREAL, QUEBEC H2V 1B1

LIQUID DUALQUAT-SANITERGE (R)
FOR HOSPITAL AND INSTITUTIONAL USE:

For use in Hospitals, Nursing Homes, Schools, Public Buildings, Food

Processing Establishments, Restaurants, etc. Meets the specifications of flooring Manufacturers Association and listed safe by Underwriters' Laboratories Inc. on conductive flooring in hazardous locations. Effective against Staphylococcus aureus, Salmonella Choleraesuis and pseudomonas aeruginosa, and against pathogenic fungi, Trichophyton interdigitale (athlete's foot fungi). Also virucidal, when used at 12.5 mL Saniterge per litre on environmental hard surfaces, against influenza A2 Herpes Simplex, Adenovirus type 2 and Vaccinia. All surfaces subject to food contact must be thoroughly rinsed with potable water following use of this product. Minimum phenol coefficient vs. S. aureus, 42; vs. S. typhosa, 27(AOAC Method).

DIRECTIONS:

To clean, disinfect and deodorize floors, walls, toilets, urinals, sinks, furniture, receptacles and all hard inanimate objects. Wash thoroughly with 15.5 mL Saniterge per litre of water using mop, cloth or sponge. Where required rinse with clear water or pick up with damp mop or cloth. For gross contamination or heavy odours, use 31 mL Saniterge per litre of water, for damp mopping and sanitizing, 8 mL Saniterge per litre of water. To disinfect allow to remain wet for 10 minutes. To sanitize, 60 seconds.

NOTICE TO USER:

This control products is to be used only in accordance with the directions on this label. It is an offence under the Pest Control Products Act to use a control product under unsafe conditions.

PRECAUTIONS:

KEEP OUT OF REACH OF CHILDREN

Causes severe eye and skin irritation. Do not get in eyes, on skin, or on clothing. Harmful if swallowed. Avoid contamination of food.

FIRST AID:

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes call a physician. Remove and wash all contaminated clothing before re-use. If swallowed, do not induce vomiting. Drink large quantities of fluid and call a physician immediately.

DISPOSAL:

Rinse the emptied container thoroughly and add the rinsings to the

spray mixture in the tank. Follow provincial instructions for any required additional cleaning of the container prior to its disposal. Make the empty container unsuitable for further use. Dispose of the container in accordance with provincial requirements. For information on the disposal of unused , unwanted product and the cleanup of spills, contact the Provincial Regulatory Agency or the Manufacturer.

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))