

95/2000

DENKAVEPON

DDVP TECHNICAL 97%

FOR MANUFACTURING USE ONLY

GUARANTEE: DICHLORVOS (2,2-DICHLOROVINYL DIMETHYL PHOSPHATE)
97.0 %

KEEP OUT OF REACH OF CHILDREN

POISON
DANGER

READ THIS LABEL BEFORE USING

REGISTRATION NO. : 20716 PEST CONTROL PRODUCTS ACT

NET CONTENTS: METRIC 280 Kg (617 LBS)

Manufactured by:
DENKA INTERNATIONAL BV
Hanzeweg 1, P.O. Box 337
3770 AH Barnveld, HOLLAND

North American Agent:
JLM Chemical Trading Canada
701 Evans Ave. Suite 900
Toronto, ONT M9C 1A3
Canada

NOTICE TO USER

"This control product is to be used only in accordance with the directions on the label. It is an offense under the Pest Control Products Act to use a control product under unsafe conditions".

FIRST AID

IF SWALLOWED: Call a physician or Poison Control Center immediately. Drink one or two glasses of water and induce vomiting by touching the back of the throat with a finger. Repeat until vomit fluid is clear. Do not induce vomiting or give anything by mouth to an unconscious or convulsing person.

- IF INHALED:** Remove victim, to fresh air. Apply artificial respiration if indicated.
- IF ON SKIN:** Remove contaminated clothing and wash affected areas with soap and water.
- IF ON EYES:** Flush eyes with plenty of water. Call a physician immediately.

NOTE TO PHYSICIAN

SYMPTOMS: Symptoms include weakness, headache, tightness in chest, blurred vision, non-reactive pin-point pupils, salivation sweating, nausea, vomiting, diarrhea, and abdominal cramps.

TREATMENT: Atropine is the specific therapeutic antagonist of choice against parasympathetic nervous stimulation. If there are signs of parasympathetic, stimulation, atropine should be injected at ten-minute intervals, in doses of 1 to 2 milligrams, until complete atropinization has occurred. Morphine is contraindicate. Clear chest by postural drainage. Oxygen administration may be necessary. 2-PAM is also antidotal and may be administered in conjunction with atropine. Observe patient continuously for 48 hours. Repeat exposure to cholinesterase inhibitors may, without warning, cause prolonged susceptibility to very small doses of any cholinesterase inhibitor. Allow no further exposure until cholinesterase regeneration has been attained as determined by blood test.

PRECAUTIONARY STATEMENTS

Hazards to Humans (and Domestic Animals)

DANGER. Poisonous if swallowed, inhaled, or absorbed through skin or eyes. Do not get in eyes or on skin. Do not breathe fumes. Rapidly absorbed through skin, wear natural rubber gloves, waterproof protective clothing, goggles and respirator when handling.

ENVIRONMENTAL HAZARDS. This product is toxic to fish, birds and other wildlife. Do not discharge in lakes, streams, ponds or public waters.

Do not contaminate water, food or feed by storage or disposal.

PHYSICAL OR CHEMICAL HAZARDS. Do not use or store near heat or open flame.

DIRECTIONS FOR USE

For use in manufacturing, formulating or repackaging only. To be used only in the manufacture of a product which is registered under the Pest Control Products Act. Read technical bulletin for formulation details.

STORAGE AND DISPOSAL

Rinse the empty container thoroughly and add the rinsings to the formulation mixture in the tank. Follow provincial instructions for any required additional cleaning of the container prior to its disposal.

Make the empty container unsuitable for further use and dispose of in accordance with provincial requirements.

For information on the disposal of unused, unwanted product and the clean-up of spills, contact the regional office of the Environmental Service, Environment Canada.

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))