

19-JUN-2000

DITCHLING

BAIT BLOCKS

RODENTICIDE

GUARANTEE:

DIPHACINONE..... 0.0052%

COMMERCIAL

KEEP OUT OF REACH OF CHILDREN

REGISTRATION NUMBER 23037 PEST CONTROL PRODUCTS ACT

READ LABEL BEFORE USING

NET: 4.54 KG

DITCHLING CORPORATION LIMITED

PO BOX 395,

DON MILLS, ONTARIO, M3C 2S7

No pre-baiting required- just use as suggested. Ditchling BAIT BLOCKS Rodenticide contains a select, choice combination of taste-tempting (to Norway Roof Rats and House Mice) ingredients blended with a high-potency anticoagulant into a uniform, standard, ready-to-use rodenticide.

DIRECTIONS: Snap-off Ditchling BAIT BLOCKS into the handy marked squares and place in protected areas where RATS and MICE are known to feed, water, run or exist. Ditchling BAIT BLOCKS will do the rest:

RATS: Place 2 to 6 squares (100-500 gms) in each infested area

MICE: Place 1 square every 2 to 3 meters in infested areas.

KEEP TREATED AREAS WELL SUPPLIED. Continuous feeding from 5 to 14 days should give control. Ditchling BAIT BLOCKS should be available to rodents until complete lack of feeding is noticed.

Never allow the treated areas to remain empty for over 48 hours.

PRECAUTIONS: KEEP OUT OF REACH OF CHILDREN. Keep from pets and domestic animals. Do not expose in areas accessible to dogs unless placed in wire baskets within protected bait stations.

FIRST AID: If in eyes, flush with water for 15 minutes. If on skin, wash with soap and water. If swallowed, give patient one or two glasses of water and induce vomiting by touching back of the throat with a finger or blunt object; repeat until vomit fluid is clear. Do not give anything by mouth to an unconscious person. Contact a physician or Poison Control Centre immediately.

TOXICOLOGICAL INFORMATION: Diphacinone is an anticoagulant. Vitamin K1, in the form of intravenous, intramuscular or subcutaneous injections, or by oral ingestion, is suggested remedial treatment for anticoagulant poisoning. The severity of the case measured by establishing prolonged prothrombin times (P.T.) will determine appropriate therapy. Monitoring P.T. will indicate the necessity of repeated treatments.

DISPOSAL: Do not reuse empty container. Dispose of unused bait in accordance with local requirements. Follow provincial instructions for any required cleaning of the container prior to its disposal. Make the empty container unsuitable for further use. Dispose of the container in accordance with provincial requirements. For more information on the disposal of unused, unwanted product and the cleanup of spills, contact the provincial regulatory agency or the manufacturer.

RODENT DISPOSAL: Dispose of dead rodents in garbage or by burying.

NOTICE TO BUYER: Seller's guarantee shall be limited to the terms set out on the label and subject thereto. The buyer assumes the risk to persons or property arising out of the use or handling of this product and accepts the product on that condition.

NOTICE TO USER: This control product is to be used only in accordance with the directions on this label. It is an offence under the Pest Control Products Act to use a control product under unsafe conditions.

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label

information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))