

96.05.10

NET CONTENTS: 2 x 10 Litres

AGROX(R)

Flowable Seed Treatment Fungicide

For the Control of Seed-Borne Diseases
of Wheat, Oats, Barley, Rye.

READ THE LABEL BEFORE USING

KEEP OUT OF REACH OF CHILDREN

Note: This product contains 0.8% Rhodamine B dye which has
been determined to be of toxicological concern.

AGRICULTURAL

WARNING: Skin Irritant

CAUTION: Eye Irritant and Potential Skin Sensitizer

GUARANTEE:

maneb 300 grams per litre

REGISTRATION NO. 12162
PEST CONTROL PRODUCTS ACT

ZENECA Argo, a business of ZENECA Corp.
Stoney Creek, Ontario
L8G 3Z1

C94/A-2

PRECAUTIONS:

Dust of treated seed may cause irritation of nose, throat, eyes and
skin. Avoid inhalation of dust. Wear a dust mask for protection

against maneb when handling AGROX Flowable treated seed. Wear gloves when handling AGROX Flowable and AGROX treated seed.

Wash after handling and before eating, drinking or smoking.

KEEP CONTAINERS TIGHTLY CLOSED WHEN NOT IN USE. Do not reuse containers. Make certain that children and animals do not have access to AGROX Flowable or to used containers.

Store treated seed away from feed and foodstuffs and always in a well ventilated place.

Do not store treated seed more than one year.

If treated seed must be stored, label as follows: POISONOUS TO MAN AND ANIMALS. THIS SEED HAS BEEN TREATED WITH AGROX FLOWABLE, CONTAINING MANEB FOR THE CONTROL OF SEED-BORNE DISEASES.

Do not use treated seed in feed or foodstuffs.

FIRST AID:

If swallowed, induce vomiting and get medical attention immediately.

If in eyes, flush with water for 15 minutes, then get medical attention.

If on skin, wash with plenty of soap and water.

EMERGENCY TELEPHONE NUMBER

All hours, 1-800-263-0984 ONLY for health and environmental information.

ENVIRONMENTAL HAZARDS

Do not contaminate ponds, lakes and streams.

STORAGE

Product gels at -18EC but can be reconstituted and become useable at -7EC. For preservation, DO NOT allow product to become overheated during storage.

SPILL CLEANUP

Wear appropriate protective equipment (gloves, glasses, apron) when

attempting to clean up the spill. If the container is leaking, secure leak and place the container into a drum or heavy gauge plastic bag. Contact ZENECA Agro (See EMERGENCY TELEPHONE NUMBER for further information).

For spills and leaks; contain the liquid with dikes of inert material (soil, clay, kitty litter etc.). Absorb the spill onto inert material and shovel into a sealable waste container.

On hard surfaces - sprinkle spill area with detergent and scrub in a small quantity of water with a coarse broom. Let stand 10 minutes then absorb onto an inert material and shovel into the waste container.

On soil - remove the top 15 cm of soil in the spill area and replace with fresh soil. Dispose of all waste including scrub brush in accordance with provincial requirements. For more information on the disposal of waste and the clean up of spills, contact the regional office of Environmental Protection, Environment Canada.

DISPOSAL

Follow provincial instructions for any required additional cleaning of the container prior to its disposal. Make the empty container unsuitable for further use. Dispose of the container in accordance with provincial requirements. For information on the disposal of unused, unwanted product and the cleanup of spills, contact the Provincial Regulatory Agency or the Manufacturer.

PRODUCT INFORMATION

AGROX Flowable is a seed treatment especially formulated for use through liquid metering devices.

AGROX Flowable controls the following diseases:

Wheat - Bunt or Stinking Smut

Barley - Covered and False Loose Smuts, Net Blotch
(seed borne)

Oats - Loose and Covered Smuts

Rye - Bunt

In addition Seedling Blight (including Seed Borne Root Rot - Cochliobolus sativus) of cereals will be controlled.

AGITATION BEFORE USE: Agitate thoroughly before using.

COLD TEMPERATURE USE: Product can be used at temperatures down to -7°C.

NOTICE TO USER

This control product is to be used only in accordance with the directions on this label. It is an offence under the Pest Control Products Act to use a control product under unsafe conditions.

DIRECTIONS FOR USE:

Prior to treating seed, calibrate the treater in the normal way.

APPLICATION RATES PER 25 kg OF SEED:

Wheat	45 mL	Rye	45 mL
Oats	115 mL	Barley	85 mL

NOTICE TO BUYER

Seller's guarantee shall be limited to the terms set out on the label and subject thereto, the buyer assumes the risk to persons or property arising from the use or handling of this product and accepts the product on that condition.

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))