

92.03.10

2 kg

WILBUR-ELLIS NET WEIGHT
Ideas to grow with(R)

THIRAM 75W

FUNGICIDE WETTABLE POWDER

AGRICULTURAL

GUARANTEE;
THIRAM 75%

REGISTRATION NO. 14753
PEST CONTROL PRODUCTS ACT

READ THE LABEL BEFORE USING

WILBUR-ELLIS COMPANY OF CANADA LIMITED
P.O. BOX 22091, LONDON, ONTARIO N6C 4N0

DANGER * POISON

DIRECTIONS FOR USE

SEED DECAY, SEEDLING BLIGHT AND DAMPING-OFF ON VEGETABLE CROPS:
Dust THIRAM 75W on seed according to the rates listed below:

CROP	RATE (g/100 kg of seed)
Broccoli, Brussels Sprouts, Cabbage, Cauliflower	300 g
Cucumber, Melon, Pumpkin, Squash	175 g
Onion (all types)	300 g
Tomatoes	300 g

SEED DECAY, SEEDLING BLIGHT AND DAMPING-OFF ON MUSTARD AND RAPE:
When using Furadan (R) 5G insecticide for control of Flea Beetles, it is recommended to mix THIRAM 75W with the seed in the drill box. Use 400g/100 kg of seed.

SMUT ON ONIONS: When using Ethion-Thiram granular insecticide-fungicide for control of Onion Maggot and Smut, it is recommended to mix THIRAM 75W with the seed in the hopper box. For dry onions, use 500 g/kg of seed. Do not use THIRAM 75W on Spanish onion transplants. Do not mix with your bare hands.

BROWN PATCH ON TURF: Regular application of THIRAM 75W in combination with good turf management will help prevent this disease. Do not mow or water grass within 24 hours after treatment to allow spray to dry completely.

PREVENTIVE PROGRAM: Apply every 7-10 days starting before the earliest probable disease infection period and continue throughout the season. For golf course greens, also spray surrounding grass. Under unusually warm, humid conditions, apply every 7 days. Use 90 grams of THIRAM 75W IN 25-50 litres of water per 100 square metres.

CURATIVE PROGRAM: Spray infected and surrounding area every 7 days with 125-175 grams of THIRAM 75W in 25-50 litres of water per 100 square metres beginning when the disease is first noticed. When the disease is under control continue spraying according to the Preventive Program.

PRECAUTIONS: KEEP OUT OF REACH OF CHILDREN. Harmful if swallowed or inhaled. Avoid contact with skin, eyes and clothing. May cause irritation of eyes, nose, throat and skin. May cause allergic eczema in sensitive individuals. Do not breathe the dust or spray mist. Apply seed treatment only in adequately ventilated areas. Wash after handling and before eating, drinking or smoking. Do not consume alcoholic beverages immediately before or within 24 hours after working with Thiram. Wash contaminated clothing before re-use. Highly toxic to fish. May be harmful to birds if ingested. Do not feed or graze treated grass or clippings to livestock. Do not contaminate any body of water.

Label containers of treated seed "POISON - This seed has been treated with Thiram; do not use for food, feed or oil processing".

FIRST AID: If swallowed, induce vomiting and have patient consume milk or white of egg. Rush patient to hospital taking this labelled container with you. In case of skin contact, remove contaminated clothing and wash skin thoroughly with soap and water. If in eyes, flush with plenty of water for 15 minutes and get medical attention.

STORAGE: Store in a cool, dry, ventilated place away from food and feed. DO NOT LEAVE surplus seed where birds or animals will have access to it.

DISPOSAL:

1. Empty bag.
2. Follow provincial instructions for any required additional cleaning of the bag prior to its disposal.
3. Make the empty bag unsuitable for further use.
4. Dispose of the bag in accordance with provincial requirements.
5. For information on the disposal of unused, unwanted product, treated seed, and the cleanup of spills contact the regional office of Conservation and Protection, Environment Canada.

NOTICE TO BUYER: Seller's guarantee shall be limited to the terms set out on the label and subject thereto the buyer assumes the risk to persons or property arising from the use or handling of this product and accepts the product on that condition.

NOTICE TO USER: This control product is to be used only in accordance with the directions on this label. It is an offence under the Pest Control Products Act to use a control product under unsafe conditions.

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))