

90.12.19

DEARCIDE 6222

INDUSTRIAL
INDUSTRIEL

DANGER

CORROSIVE/CORROSIF

POISON

READ THE LABEL BEFORE USING
LIRE L'ETIQUETTE AVANT L'EMPLOI

REGISTRATION NO. 18784
PEST CONTROL PRODUCTS ACT

NO. D'ENREGISTREMENT 18784
LOI SUR LES PRODUITS ANTIPARASITAIRES

MICROBISTAT

GUARANTEE:

5 Chloro-2-methyl-4-isothiazolin-3-one	8.6%
2-methyl-4-isothiazolin-3-one	2.6%

NET CONTENTS/CONTENU NET

KEEP FROM FREEZING
PROTEGER CONTRE LE GEL

DEARBORN CHEMICAL COMPANY LTD.
PLANT AND OFFICES:
3451 ERINDALE STATION ROAD
MISSISSAUGA, ONTARIO
L5C 2S9

MAILING ADDRESS:
P.O. BOX
STATION A
MISSISSAUGA, ONTARIO
L51 3T5

DIRECTIONS:

Dearcide 6222 should be slug fed at a level of .03 to .11 kg per tonne of dry paper produced. Slug feeding should be done at least once per day. Your Dearborn Representative will recommend points of application.

Dearcide 6222 is recommended for the control of bacteria, both slime formers and sulphate reducers in oil field injection systems. An initial dosage of 7-36 ppm of DEARCIDE 6222 is recommended. When control is achieved dosage levels may be reduced to 7-18 ppm of DEARCIDE 6222.

DEARCIDE 6222 is recommended for soluble and emulsifiable type aqueous metalworking fluids, such as emulsified petroleum oils and formulations containing alcoholic fatty acid, sulfonated red oil, naphthalene sulfonate. These fluids are usually prepared by diluting the product concentrates 1:40 to 1:60 with water. For the maintenance of a non fouled system add 35 ppm of DEARCIDE 6222 or 35 ppm to 150 ppm of DEARCIDE 6222 every 8 to 12 weeks. For a noticeably fouled system use an initial dosage range of 70 to 150 ppm followed by subsequent dosages depending upon the treatment level noted above. A higher dosage range and/or increased frequency of treatment may be required depending on rate of dilution of the preservative with makeup fluid, the nature and severity of contamination level of control required, filtration effectiveness, system design, etc. The preservative should be dispensed into the use-dilution of the metalworking fluid by a metering pump and uniformly dispersed throughout the system.

DEARCIDE 6222 is recommended for the control of bacteria, algae and fungi in industrial process water systems. For heavily fouled systems an initial dosage of 40 to 120 ppm of DEARCIDE 6222 is recommended. When control is achieved, dosage levels may be reduced to 20 to 35 ppm of DEARCIDE 6222.

ECOLOGICAL:

Open dumping is prohibited. If plastic, do not reuse empty container. This product is toxic to fish and wildlife. Treated effluent should not be discharged where it will drain into lakes, streams, ponds or public water. Do not contaminate water by cleaning of equipment or disposal of waters. Apply this product only as specified on this label.

CAUTION:

DANGER - CORROSIVE TO EYES AND CAUSES SKIN BURNS. MAY CAUSE ALLERGIC SKIN REACTION. MAY BE HARMFUL IF INHALED. MAY BE FATAL IF SWALLOWED OR ABSORBED THROUGH THE SKIN. Do not get in eyes, on skin, on clothing. Wear goggles or face shield and rubber

gloves when handling. Avoid breathing vapour mist. Do not take internally. Wash thoroughly after handling. DO NOT USE IS POTABLE WATER. Do not contaminate water, food or feed by storage or disposal.

FIRST AID:

In case of contact, immediately flush eyes and skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse. If swallowed, do not induce vomiting. Drink promptly a large quantity of milk, egg whites, gelatin solution, or if these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately. Never give anything by mouth to an unconscious person. If inhaled, remove person immediately to fresh air. If not breathing, apply artificial respiration. If breathing is difficult, give oxygen. Call a physician.

TOXICOLOGICAL INFORMATION: Probable mucosal damage following ingestion may contraindicate gastric lavage. Measures against shock, respiratory depression and convulsion may be needed.

DISPOSAL:

1. Rinse the emptied container thoroughly and add the rinsings to the spray mixture in the tank.
2. Follow provincial instructions for any required additional cleaning of the container prior to its disposal.
3. Dispose of the container in accordance with provincial requirements.
4. For information on the disposal of unused, unwanted product and the cleanup of spills, contact the regional office of Environmental Protection, Environment Canada.
5. For small spills. Recover free liquid. Soak up residue with solids absorbent. DO NOT FLUSH INTO SURFACE STREAMS. INFORM ENVIRONMENT CANADA AS IN #4.

NOTICE TO USER:

This control product is to be used only in accordance with the directions on this label. It is an offence under the Pest Control Products Act to use a control product under unsafe conditions.

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any

guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))