

93.05.13

FINAL-C

LIQUID SANITIZER

COMMERCIAL

GUARANTEE:

N-Alkyl (5% C12, 60% C14, 30% C16, 5% C18)
dimethyl benzyl ammonium chlorides..... 5%
N-Alkyl (68% C12, 32% C14) dimethyl ethylbenzyl
ammonium chlorides..... 5%

REGISTRATION NO. 14255

PEST CONTROL PRODUCTS ACT

READ THE LABEL BEFORE USING

DIN. 01993828

Diversey Inc.
2645 Royal Windsor Drive
Mississauga, Ontario L5J 1L1
Telephone (416) 822-3511

Dartmouth - Candiac, P.Q. - Winnipeg - Edmonton - Vancouver

FOR INDUSTRIAL AND INSTITUTIONAL USE

INDUSTRIAL, INSTITUTIONAL & FOOD PLANT USE

DIRECTIONS FOR USE

For sanitizing and disinfecting floors, walls and inanimate hard surfaces. For Schools, Locker Rooms, Garbage Pails, Sink Tops, Corridors, Classrooms, Offices and Shower Stalls. Apply solution with mop or cloth. Sanitize with 1.9 mL FINAL-C per liter of water. Disinfect with 4.5 mL FINAL-C per liter of water. Kills Staphylococcus aureus and Salmonella choleraesuis.

HOSPITALS

For floors, walls and other hard surfaces, in Nursing Homes,

Institutions, as well as Sink Tops, Garbage Pails, Telephones and Restrooms, use FINAL-C at 5.5 mL per liter of water. At this level FINAL-C will be effective against Pseudomonas aeruginosa PRD-10.

RESTAURANT AND BAR RINSE

Dishes, Glassware, Silverware, Cooking Utensils, wash with soap or synthetic detergent; rinse thoroughly and immerse in a sanitizing solution containing 1.9 mL FINAL-C per liter of water. Follow with potable washer rinse. GENERAL: Prior to sanitation, clean thoroughly with a suitable detergent and rinse thoroughly with potable water.

SANITATION FOR MEAT AND FOOD PROCESSING EQUIPMENT AND DAIRY EQUIPMENT: Clean and rinse equipment thoroughly, then apply sanitizing solution of 2 mL FINAL-C per liter of water. This provides a solution containing about 200 parts per million of the active ingredients. Any treated surface which might contact a food product should be rinsed with water of potable quality.

PRECAUTIONS

KEEP OUT OF REACH OF CHILDREN

Harmful if swallowed. May cause skin irritation or damage to the eyes. Avoid contact with skin and eyes. In case of contact, flush with plenty of water. If irritation persists; get medical attention. Avoid contamination of food. Do not mix with soap or anionic synthetic detergents. This product is toxic to fish. Do not discharge treated effluent into lakes, streams or ponds. Discharge only into sanitary sewers.

FIRST AID: If swallowed drink milk, egg whites, gelatin solution, or if these are not available, drink large quantities of water. Call a physician.

TOXICITY: May cause Lung Hemorrhage or Heart Failure if ingested.

NOTICE TO USER: THIS CONTROL PRODUCT IS TO BE USED ONLY IN ACCORDANCE WITH THE DIRECTION OF THE LABEL. IT IS AN OFFENCE UNDER THE PEST CONTROL PRODUCTS ACT TO USE A CONTROL PRODUCT UNDER UNSAFE CONDITION.

DO NOT STORE IN FOOD PROCESSING OF FOOD STORAGE AREAS

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label

information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))