

2000/2002

GREENLEAF ®

BULB DUST

INSECTICIDE

FUNGICIDE

FOR PLANTING AND STORAGE

CONTAINS CARBARYL & CAPTAN

CONTROLS BULB ROT AND THRIPS

PROTECTS DAHLIA TUBERS

DOMESTIC

KEEP OUT OF REACH OF CHILDREN

READ THE LABEL BEFORE USING

REG. NO. 15389 P.C.P.ACT.

GUARANTEE: Carbaryl 5% Captan 5%

NET CONTENT: 500 g.

Exposure to captan may produce long term health effects. To minimize exposure, follow directions outlined on this label.

Greenleaf Products Inc.,
4650 Dawson Street,
Burnaby, B.C. V5C 5P8

GREENLEAF BULB DUST is an ideal product to protect TULIP, DAFFODIL, NARCISSUS and IRIS BULBS, GLADIOLUS CORMS from Thrips (exposed), Damping-off and Bulb rot, and DAHLIA and BEGONIA TUBERS from Damping-off and Bulb rot.

Soil Treatment: Use at the rate of 90 g per 10 m of row. Apply to holes or trenches before planting and work into the soil to a depth of 8 cm., or broadcast by using at the rate of 500 g per 10 m² of area, and work into the soil to a depth of 8 cm.

Storage: Before storage, dust bulbs lightly, or shake the dry and clean bulbs or corms with the dust in a bag.

PRECAUTIONS: KEEP OUT OF REACH OF CHILDREN. Never handle material with bare hands. Use rubber gloves; do not use leather or cloth gloves. Wash hands, face and arms thoroughly after handling and before drinking, eating or smoking. Do not breathe dust. When handling, wear goggles and clothing that completely covers arms and legs to minimize exposure. Change contaminated clothing and wash thoroughly before re-use. If an accident occurs, remove contaminated clothing immediately, and wash contaminated skin thoroughly with soap and water. Wash clothing and gloves before re-use. Always work out of the wind when handling, or applying treatments. Keep unprotected persons out of operating area or vicinity where there may be drift.

FIRST AID: In case of poisoning, call a physician immediately. IF ON SKIN, remove contaminated clothing and wash skin thoroughly with soap and water. IF IN EYES, flush with water for 5 - 10 minutes and obtain medical attention. IF SWALLOWED, give the patient one to two glasses of water, and cause vomiting by giving one dose of syrup of ipecac. If the patient does not vomit within 20 minutes, give a second dose. If syrup of ipecac is not available, give the patient one to two glasses of water and cause vomiting by inserting a finger down the throat. Repeat with water until vomit fluid is clear. The patient should be lying down with the head below the level of the feet. DO NOT TRY TO CAUSE VOMITING IF THE PATIENT IS UNCONSCIOUS OR IN A CONVULSIVE STATE. Take container, label or product name and Registration Number with you when seeking medical attention.

TOXICOLOGICAL INFORMATION: Carbaryl is a moderate cholinesterase inhibitor. Atropine is antidotal.

DISPOSAL: Do not re-use empty container. Wrap and discard empty containers with household garbage.

NOTICE TO BUYER:

Seller's guarantee shall be limited to the terms set out on the label and subject thereto, the buyer assumes the risk to persons and property arising from the use or handling of this product and accepts the product on that condition.

® (CANADA) Registered Trade Mark of Greenleaf Products Inc.

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))