

86.02.18

(R)MESUROL Technical INSECTICIDE

FOR USE IN THE MANUFACTURE OF MOLLUSCICIDES

GUARANTEE: Methiocarb 99%

REGISTRATION NO. 19336 PEST CONTROL PRODUCTS ACT

U.S. Patent No. 3,313,684 Canadian Patent No. 761,440

D A N G E R P O I S O N

KEEP OUT OF REACH OF CHILDREN

Poison if swallowed. May be fatal if inhaled, or absorbed through the skin. Rapidly absorbed through the skin. Do not get in eyes or on skin. Wear protective clothing, natural rubber gloves and goggles.

Do not breathe dust. For protection against organocarbamate insecticides wear an approved mask or respirator. (Contact Chemagro Limited for information on suitable equipment.)

Do not contaminate feed or food. Keep out of reach of children. Keep all unprotected persons out of the operating area. Wash hands, arms, and face thoroughly with soap and warm water before eating or smoking. Wash all contaminated clothing with soap and hot water before reuse.

In case of spillage, sweep up and bury. Wash area with strong lye solution. Do not reuse the container for any purpose. Destroy empty container by burying or burning (keep out of smoke).

SYMPTOMS OF POISONING: A sense of "tightness" in the chest. Sweating. Contracted pupils. Stomach pains. Vomiting and diarrhea.

FIRST AID: In case of poisoning call a physician immediately. Have patient lie down and keep quiet. If swallowed, vomiting should be induced. Administer water freely and induce vomiting by giving one dose (15 mL) of syrup of ipecac. If vomiting does not occur within 10 to 20 minutes, administer second dose. If syrup of ipecac is not available, induce vomiting by sticking finger down throat. Repeat until vomit fluid is clear. The patient should be lying down with the head below the foot level and facing down or to one side. Professional medical assistance should be secured immediately. DO NOT INDUCE VOMITING TO AN

UNCONSCIOUS PERSON OR TO PERSONS IN A CONVULSIVE STATE. If on skin, remove contaminated clothing and wash skin immediately with soap and warm water. If irritation occurs, get medical attention. If eyes are contaminated, wash immediately with flowing water for at least 15 minutes. If inhaled, remove to fresh air. If not breathing, give artificial respiration, preferably by mouth, and get medical attention.

POISON

TOXICOLOGICAL INFORMATION:

ANTIDOTE - Administer atropine sulfate in large, therapeutic doses. Repeat as necessary to the point of tolerance.

Compound inhibits cholinesterase resulting in stimulation of the central nervous system, the parasympathetic nervous system, and the somatic motor nerves. Do not give morphine. Watch for pulmonary edema, which may develop in serious cases of poisoning even after 12 hours. At first sign of pulmonary edema, the patient should be placed in an oxygen tent and treated symptomatically.

ENVIRONMENTAL CAUTIONS

This product is toxic to fish and wildlife. Keep out of any body of water. Do not contaminate water by cleaning of equipment, or disposal of wastes.

NOTICE

Seller's guarantee shall be limited to the terms set out on the label and, subject thereto, the buyer assumes the risk to persons or property arising from the use or handling of this product and accepts the product on that condition.

NET CONTENTS

KILOGRAMS

MESUROL is a Reg. TM of Bayer AG.

CHEMAGRO LIMITED
256 Britannia Road East
Mississauga, Ontario, Canada L4Z 1S6

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace

the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))