

85.12.31

MESUROL

2% Bait

MOLLUSCICIDE

Contains methiocarb

COMMERCIAL

FOR CONTROL OF SLUGS AND SNAILS

GUARANTEE: Methiocarb.....2%

NET WEIGHT \_\_\_\_\_ KILOGRAMS

REGISTRATION NO.16302 PEST CONTROL PRODUCTS ACT

PRECAUTION

KEEP OUT OF REACH OF CHILDREN  
(See precautions on rear panel)

READ THE LABEL BEFORE USING

CHEMAGRO LIMITED  
1355 Aerowood Drive  
Mississauga, Ontario  
Canada L4W 1C2

DIRECTIONS FOR USE

MESUROL 2% Bait is very effective for the control of slugs and snails infesting lawns and turf, ornamental ground covers, flowers and shrubs when applied as broadcast applications. Applications may be made to areas around the home, in flower gardens, in ornamental greenhouses and to other areas such as golf courses, cemeteries, industrial grounds, parkways and roadways. The bait should be broadcast over plant foliage or applied to the soil around plants. For best results, the soil in the area to be treated should be moist prior to application and

the bait broadcast evenly so as to be hardly visible on the ground. Dogs are not attracted to MESUROL 2% Bait. CAUTION: Do not use around food crops.

Species of slugs and snails controlled:

Gray garden slug (*Deroceras reticulatum*)  
Gray field slug (*Deroceras laeve*)  
Spotted garden slug (*Limax maximus*)  
Reticulated slug (*Prophysaon andersoni*)  
European black slug (*Arion ater*)  
European brown snail  
(brown garden snail) (*Helix aspersa*)

Apply broadcast applications as specified above at the rate of 38 to 55 kg/ha when treating large areas. For smaller areas, applications should be made at a rate of 500g MESUROL 2% Bait per 100 square metres of treated area. When making such applications, special attention should be given to treating areas around flower beds, under greenhouse benches and around building foundations. Repeat applications as necessary to keep areas free of slug and snail pests.

#### LIMITATIONS

Do not use on plants grown for food. Do not put bait in piles. Scatter bait so that it is hardly visible on the ground. Do not contaminate feed or food. Keep out of reach of children and domestic pets.

#### FISH AND WILDLIFE CAUTIONS

This product is toxic to fish and wildlife. Keep out of lakes, ponds, or streams. Birds feeding on treated areas may be killed. Do not contaminate water by cleaning of equipment, or disposal of wastes. Apply this product only as specified on this label.

#### CONTAINER DISPOSAL

Do not reuse empty container. Destroy by burying with waste or burning. Stay away from smoke and fumes.

#### PRECAUTION

May be harmful if swallowed, inhaled, or absorbed through the skin. Do not get in eyes, on skin, or on clothing. Wash thoroughly with soap and warm water after handling. Wash contaminated clothing with soap and hot water before re-use.

FIRST AID : If swallowed, vomiting should be induced. Administer

water freely and induce vomiting by giving one dose (1.5 mL.) of syrup of ipecac. If vomiting does not occur within 10 to 20 minutes, administer second dose. If syrup of ipecac is not available, induce vomiting by sticking finger down throat. Repeat until vomit fluid is clear. The patient should be lying down with the head below the foot level and facing down or to one side. Professional medical assistance should be secured immediately. DO NOT INDUCE VOMITING TO AN UNCONSCIOUS PERSON OR TO PERSONS IN A CONVULSIVE STATE. If on skin, remove contaminated clothing and wash skin immediately with soap and warm water. If eyes are contaminated, wash immediately with flowing water for at least 15 minutes.

TOXICOLOGICAL INFORMATION: The compound inhibits cholinesterase resulting in stimulation of the central nervous system. This results in a sense of "tightness" in the chest, sweating, contracted pupils, stomach pains, vomiting and diarrhea. The antidote is atropine sulfate administered in large therapeutic doses repeated as necessary to the point of tolerance. Do not give morphine. Watch for pulmonary edema, which may develop in serious cases of poisoning even after 12 hours. At first sign of pulmonary edema, the patient should be placed in an oxygen tent and treated symptomatically.

NOTICE TO USER:

This control product is to be used only in accordance with the directions on this label. It is an offence under the Pest Control Products Act to use a control product under unsafe conditions.

NOTICE TO BUYER:

Seller's guarantee shall be limited to the terms set out on the label and subject thereto. The buyer assumes the risk to persons or property arising from the use or handling of this product and accepts the product on that condition.

MESUROL is a Reg. TM of Bayer AG.

Printed in U.S.A.

Temporary registration expires December 31, 1984.

\*\*\*\*\*

This label transcript service is offered by the Pest Management

Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))