

2000/2005

HERBICIDE

CO-OP®

WEEDRITE\*

GRANULAR HERBICIDE

DOMESTIC

228 g  
4 x 57 g Sachets

Guarantee: Paraquat 2.5%  
Diquat 2.5%

Contains: Paraquat and Diquat

One treatment kills most weeds and grasses. Treats 80 m2.

READ THE LABEL BEFORE USING

CAUTION POISON

REG. NO. 10627 P.C.P. ACT

INTERPROVINCIAL COOPERATIVE LIMITED  
P.O. BOX 1050,  
SASKATOON, SASKATCHEWAN  
S7K 3M9

WINNIPEG MISSISSAUGA MONTREAL MONCTON

WARNING:

Safety data and registration of this product are under review. Directions for use and cautionary statements should be carefully followed. Read the label before using.

**KEEP BOX FOR USE DIRECTIONS.**

WEEDRITE\* is a non-volatile, very fast acting herbicide. Rain

falling shortly after application will not reduce effectiveness. WEEDRITE\* Granules are simply dissolved in water and applied with a fine spray sprinkling can or low pressure garden sprayer, to thoroughly wet all unwanted weeds and grasses. WEEDRITE\* can be applied between plants in flower and vegetable beds using a dribble-bar, along fences and ditches, driveways, paths and patios. Also, weeds and grasses can be controlled right up to the base of trees, hedges and shrubs that have been established for at least one year, as the spray will have no effect on mature brown bark.

**NOTE:** The spray must not contact green bark, other green growth or foliage of evergreens, as this may result in serious injury to the plant. Use the dribble-bar for added protection. WEEDRITE\* becomes inactivated on contact with the soil, and cannot spread to untreated areas, to tree roots under the treated area, or affect seed or plants placed in treated soil 3 days or later after treatment. Remove dead vegetation before seeding any crop.

#### **DIRECTIONS FOR USE**

##### **APPLICATION: WATERING CAN WITH FINE SPRAY OR DRIBBLE-BAR:**

Dissolve the contents of one sachet (57g) in 10L of water and apply to 20m<sup>2</sup> **SPRAYER: (Use LOW pressure-large droplets):** Dissolve the contents of one sachet (57g) in 10L of water and apply to 20m<sup>2</sup>. If weed growth is extremely dense, apply to 10m<sup>2</sup>. Add granules to **CLEAN** water and stir or shake for at least 1 minute to completely dissolve.

**NOTE:** Since soil inactivates the spray, use of muddy water, or spraying very dusty weeds will reduce effectiveness of WEEDRITE\*. Spray or sprinkle to thoroughly wet unwanted grass and weeds, all green parts of plants treated will be killed. Apply any time during growing season, but control is best when grasses and weeds are young. Repeat as necessary. Most annual weeds and grasses are killed with one treatment. Control of perennial weeds will require repeat treatments.

**PRECAUTIONS: KEEP OUT OF REACH OF CHILDREN.** May be fatal if swallowed. Keep off skin and away from children and pets. Do not breathe spray, wash after use. Avoid application of drift onto lawns, flowers, vegetables, green leaves of bulbs and other desirable plants; you may treat close to these plants. BUT DO NOT ALLOW SPRAY OR DRIFT TO TOUCH THEM. Wash watering cans, sprayers, etc., thoroughly, immediately after use. Do not re-use WEEDRITE\* container when empty.

**FIRST AID: IF SWALLOWED**, induce vomiting immediately and call a doctor at once. **IF ON SKIN**, wash immediately and thoroughly with water. **IF IN EYES**, flush copiously with clean water and call a doctor.

Patented in Canada 1961-1964  
(R) Reg'd T.M. Interprovincial Cooperative Ltd.  
\* Reg'd T.M. Zeneca Inc.

\*\*\*\*\*

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))