

85.12.31

SANEX

MOSQUITO  
FOG INSECTICIDE

FOR USE OUTDOORS IN PORTABLE FOGGERS AND FOGGING ATTACHMENTS,  
AROUND YARDS, PATIO, CAMP AND COTTAGE.

DANGER POISON

REG.NO. 16934 P.C.P. ACT

DOMESTIC

READ THE LABEL BEFORE USING

GUARANTEE:  
RESMETHRIN 0.20%

NET CONTENTS: 4 LITRES

MANUFACTURED BY:  
SANEX INC.  
2695 SLOUGH STREET  
MISSISSAUGA, ONTARIO  
L4T 1G2

BRANCHES THROUGHOUT NORTH AMERICA

#### DIRECTIONS

Sanex Mosquito Fog is a ready-to-use solution. For most effective treatment apply as a dense fog close to the ground. The best time to fog is early morning or late evening when air speed is less than 8 km/h. Apply at the rate of 150-200 mL of Sanex Mosquito Fog Insecticide per 100 square metres of area. Lay down fog in 5 meter swaths allowing the slight ground wind to carry the material to the areas where mosquitoes are present. Fog in the direction of a breeze while moving away allowing the fog to drift into infested areas, contacting as many insects as possible. Allow the fog to dissipate before re-occupying the treated area. Repeat treatment as necessary. When using a thermal fog generator, the equipment must be operated and maintained in the manner prescribed in the instructions given in

the manufacturer's manual.

#### PRECAUTIONS

Avoid inhaling fog. Operator should wear face mask. Avoid contact with skin, eyes and clothing. Avoid contamination of ponds, lakes, streams, and other bodies of water which contain fish life or which may be used for irrigation or domestic purposes. Toxic to wildlife. Keep out of reach of children. Store tightly closed in original container and in a safe place. Wash after handling or use. Keep product away from fire and source of heat and do not fog into or near open flame. Destroy empty container by depositing in normal garbage.

#### FIRST AID

For skin contact, wash with soap and water. If in eyes, flush with plenty of water. Wash contaminated clothing before reuse.

#### DANGER

This product contains petroleum distillates. Do not ingest. If ingested, do not induce vomiting. If patient is unconscious, obtain medical attention immediately.

#### TOXICOLOGY

Treatment for the various reactions is symptomatic.

#### NOTICE TO USER

This control product is to be used only in accordance with the directions on this label. It is an offense under the Pest Control Products Act to use a control product under unsafe conditions.

#### LIMITATION OF WARRANTY

Seller's guarantee shall be limited to the terms set out on the label and subject thereto, the buyer assumes the risk to persons or property arising from the use or handling of this product and accepts the product on that condition.

\*\*\*\*\*

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label

information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))