

20-FEB-1998

IPCO (R)

NM Drill Box

1 kg

SEED TREATMENT POWDER

A NON-MERCURIAL TREATMENT FOR THE CONTROL OF SEED BORNE DISEASES OF WHEAT, OATS, BARLEY, RYE AND FLAX, CONTAINS MANEB (FUNGICIDE)

AGRICULTURAL

READ THE LABEL BEFORE USING.

GUARANTEE: MANEB 50%

REGISTRATION NO. 10,660  
PEST CONTROL PRODUCTS ACT

WARNING            POISON

WARNING: This product contains 2.0% Rhodamine Dye which has been determined to be of toxicological concern.

Interprovincial Cooperative Limited  
P.O. Box 1050, Saskatoon, Saskatchewan S7K 3M9  
Calgary, Regina, Winnipeg, Mississauga, Montreal, Moncton

IPCO NM FUNGICIDE: IPCO NM Drill Box Seed Treatment Powder is non-mercurial seed treatment specially formulated for use as a drill box treatment to overcome the problem of leftover treated seed. IPCO NM Drill Box Seed Treatment can also be applied to seed by other dry treatment methods.

GENERAL INFORMATION: IPCO NM Drill Box Seed Treatment Powder controls bunt or stinking smut of wheat, covered false loose smuts of barley, bunt of rye, smuts of oats and seed borne diseases such as seedling blight and root rot of cereals and seedling blight and damping off of flax. IPCO NM Drill Box Seed Treatment Powder is coloured red so that it is easy to detect if spilled and so that the treated seed can be readily recognized. IPCO NM Drill Box Seed Treatment Powder is specially formulated to allow its use as a drill box treatment. It can be mixed

directly with the seed in the drill box, either by spreading the treatment over the levelled seed and mixed with a paddle or by adding it to the seed as it is being run into the drill box.

#### RATES OF APPLICATION

CROP	Grams Product per 25 kg Seed
Wheat	26-40
Rye	28-43
Oats	69-92
Barley	50-66
Flax	112

Use only recommended rates. Lower amounts may not give the desired control. Excessive amounts may cause seed injury. Seed should be well cured, dry and cleaned before treatment. (Not recommended for use on Palliser Barley.)

DIRECTIONS FOR USE: DRILL BOX TREATMENT - Treat enough seed to cover the bottom of the drill box by mixing with the proper amount of IPCO NM Drill Box Seed Treatment Powder in a suitable container (which can later be destroyed). Spread this treated seed over the bottom of the drill box before adding untreated seed. It is only necessary to follow this procedure for the first filling. Enough treated seed will remain in the box for subsequent fillings. (DO NOT MIX WITH HANDS.)

1. Place and level one-half of the seed in the drill or planter box and sprinkle one-half with the total IPCO NM Drill Box Seed Treatment Powder required (for the full box) uniformly on or under the surface of the seed. Mix thoroughly with a stick or paddle, then fill the box with seed and sprinkle the remaining one-half of the powder on or under the surface and mix again until all streaking has disappeared and colouring of seed is uniform.

OR

2. Dribble IPCO NM Drill Box Seed Treatment Powder into the seed as it is poured into the drill box. Thoroughly mix with a stick or paddle when the drill box is one-half full and again when full, until all streaking of the powder has disappeared and colouring of seed is uniform.

OR

3. Apply through a mechanical dispenser or proportioner that attaches to the auger loader that conveys seed into the drill box.

OTHER DRY APPLICATION METHODS - IPCO NM Drill Box Seed Treatment

Powder may be applied by any standard dry seed treatment application equipment or by the shovel method.

STORE AWAY FROM CHILDREN

PRECAUTIONS: MAY CAUSE IRRITATION OF NOSE, THROAT, EYES AND SKIN. AVOID INHALATION OF DUST. WEAR A DUST MASK FOR PROTECTION AGAINST MANEB WHEN HANDLING IPCO NM DRILL BOX SEED TREATMENT POWDER.

1. If, for any reason, treating is carried on indoors, thoroughly ventilate the area by mechanical exhaust.
2. KEEP CONTAINERS TIGHTLY CLOSED WHEN NOT IN USE. Do not wash or reuse containers. Make certain that children and animals do not have access to the IPCO NM Drill Box Seed Treatment Powder or to used containers.
3. Treat only the amount of seed to be sown to avoid the problem of storing treated seed and the associated hazards of feed and food contamination. At the end of seeding, clean drill thoroughly and bury any dust or seed remaining.
4. If treated, seed must be stored, label as follows:  
"POISONOUS TO MAN AND ANIMALS. THIS SEED HAS BEEN TREATED WITH IPCO NM DRILL BOX SEED TREATMENT POWDER. CONTAINING MANEB FOR THE CONTROL OF SEED BORNE DISEASES."
5. Do not use treated seed in feed or foodstuffs.
6. Store treated seed away from feed and foodstuffs and always in a well ventilated place.
7. Do not store treated seed more than one year.

FIRST AID:

1. In case of poisoning call a physician or contact a poison control centre immediately.
2. If on skin, remove contaminated clothing and wash skin thoroughly with soap and water.
3. If in eyes, flush with water immediately and continue for 5-10 minutes. Get medical attention or contact a poison control centre.
4. If swallowed, induce vomiting then take patient to nearest hospital or doctor's office or contact a poison control centre. Take the pesticide label with you.

DISPOSAL:

1. Thoroughly rinse the contents of the container into the application device.
2. Make the empty container unsuitable for further use.
3. Dispose of the container in accordance with provincial requirements.
4. For information on the disposal of unused, unwanted product and the cleanup of spills, contact the Provincial Regulatory

Agency or the Manufacturer.

NOTICE TO BUYER: Seller's guarantee shall be limited to the terms set out on the label and subject thereto, the buyer assumes the risk to persons or property arising from the use or handling of this product and accepts the product on that condition.

NOTICE TO USER: This control product is to be used only in accordance with the directions on this label. It is an offence under the Pest Control Products Act to use a control product under unsafe conditions.

(R) Registered trademark Interprovincial Cooperative Ltd.

\*\*\*\*\*

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))