

86.12.11

SAFER'S

FLOWABLE

SULPHUR  
AGRICULTURAL

SOUFFRE  
EN LIQUIDE  
POUR L'AGRICULTURE

GUARANTEE: Sulphur 52.0%

GARANTIE: Souffre 52.0%

REGISTRATION NUMBER 19692  
PEST CONTROL PRODUCTS ACT

NUMERO D'ENREGISTREMENT 19692  
ACTE DES PRODUITS DE CONTROLE DES PESTES

READ THE LABEL BEFORE USING

NET CONTENTS  
CONTENU NET  
20 LITRES

LIRE L'ETIQUETTE AVANT L'EMPLOI

(R) Safer Ltd.  
Scarborough, Ont. M1B 2K4

DIRECTIONS FOR USE

Use Precautions: Sulphur may burn foliage and fruits during periods of high temperatures and under certain climatic conditions. Reduce rates when applied under warm temperatures. Do not apply when temperatures exceed or are likely to exceed 32 °C or when humidity is high. Do not use Safer's Flowable Sulphur Concentrate with oil or within 30 days of an oil application with foliage sprays. Do not use sulphur on any crop unless local use has proven safe.

Directions for Mixing: Before using, mix container contents thoroughly. Pour recommended amount in partially filled spray tank. Keep agitator running during filling and spraying operation. DO NOT ALLOW MIXTURE TO STAND. Failure to maintain agitation will cause Safer's FLOWABLE SULPHUR to settle and may necessitate manual stirring to redisperse.

The strong adhesive properties of Safer's FLOWABLE SULPHUR act as a sticker on the plant, and the sticking characteristic necessitates the flushing of equipment with water after each day's use. Sulphur in any form is corrosive material. TO REDUCE THE EFFECT, EQUIPMENT SHOULD BE FLUSHED DAILY.

Compatibility: Do not combine with emulsifiable liquids or wettable powders unless previous experience has proven physical compatibility and safety to plants. If tank mixing add Safer's Flowable Sulphur Concentrate to water with the agitator running, then add other pesticides.

Do not apply Safer's Flowable Sulphur Concentrate within 1 day of harvest.

Crop/Disease	Method/Rate per 1000 litres (L) (or per 10 L) (see caution below)
--------------	---

<p>Apple, Pear, Scab</p> <p>Powdery Mildew</p>	<p>Pre-bloom through calyx sprays, apply 10-15 L per 1000 L (100 - 50 mL/10 L). Cover sprays, use 10 L/1000 L (100 mL/10 L). Do not use on Anjou or Cormice pears. Pre-bloom through calyx sprays apply 10-15 L/1000 L (100 - 150 mL/10 L). Cover sprays, use 10 L/1000 L (100 mL/10 L).</p>
<p>Peach Brown Rot Cherry (Sweet) Plum Brown rot, leaf spot</p>	<p>Pink and bloom sprays apply 10-15 L/1000 L (100-150 mL/10 L). Petal fall, shuck and cover sprays, use 10 L/1000 L (100 mL/10 L). Pink and bloom sprays apply 10-15 L/1000 L (100-150 mL/10 L). Petal fall, shuck and cover sprays, use 10 L/1000 L (100 mL/10 L).</p>

Caution: For scab, brown rot, leafspot and mildew sprays, dilute the product with water applying 4000 L/ha. With Concentrate sprays, use 75% of the recommended active ingredient rate.

Precautions: KEEP OUT OF REACH OF CHILDREN. Harmful if swallowed. Avoid breathing spray mist. May cause irritation of nose, throat, or skin. Avoid contact with eyes, skin, clothing. After handling, wash thoroughly with soap and water before eating, drinking or smoking. Do not contaminate ponds, streams or other bodies of water. Avoid contamination of feed or food. Keep away from heat, fire and sparks.

First Aid: If swallowed, induce vomiting by touching the back of the throat with a finger or blunt object, repeat until vomit fluid is clear. Rush patient to nearest hospital taking this labelled container with you. In case of skin contact, remove contaminated clothing and wash skin and soap and water. If in eyes, flush with plenty of water for 15 minutes and get medical attention.

Storage and Disposal: Store in a cool, dry ventilated place away from food and feed. Freezing temperature -4 °C. Do not re-use empty container and wash thoroughly with water and detergent. Puncture to render container unusable. Dispose of in a safe

place.

NOTICE TO USER: This control product is to be used only in accordance with the directions on this label. It is an offence under the Pest Control Products Act to use a control product under unsafe conditions.

NOTICE TO BUYER: Seller's guarantee shall be limited to the terms set out on the label and subject thereto, the buyer assumes the risk to persons or property arising from the use or handling of this product and accepts the product on that condition.

Code: 2049

\*\*\*\*\*

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))