

94.03.10

COREXIT 8310

OILFIELD BACTERICIDE

FOR INDUSTRIAL USE ONLY

GUARANTEE:

GLUTARALDEHYDE.....15.0% BY WT.

REGISTRATION NUMBER 19193

PEST CONTROL PRODUCTS ACT

READ THE LABEL BEFORE USING

DANGER

FLAMMABLE

POISON

NET CONTENTS: 208 LITRES

IMPERIAL OIL CHEMICALS DIVISION

ENERGY CHEMICALS

237 FOURTH AVENUE SW

P.O. BOX 2784

CALGARY, ALBERTA

T2P 3Z2

NOTICE TO USER:

This control product is to be used only in accordance with the directions on this label. It is an offence under the Pest Control Products Act to use a control product under unsafe conditions.

PRECAUTIONS

Toxic gases will form upon combustion. Keep container closed. Material accumulates static. Ground container. Provide local exhaust ventilation using explosion-proof equipment. Wear appropriate personal protective equipment and clothing.

IN CASE OF FIRE OR SPILL

FIRE: Use water spray to cool surfaces, protect personnel and disperse unignited vapours. Shut off fuel to fire. Use alcohol type foam or dry chemical. Breathing and eye protection required for fire fighting. SPILL: Contain, recover and dispose of spilled material using appropriate techniques and according to regulations.

TOXICOLOGICAL INFORMATION

Methyl alcohol may cause central nervous system effects, permanent vision damage, blindness or death if inhaled, swallowed or absorbed through the skin. Inhalation of high vapour concentrations will irritate, and may cause headaches, dizziness, and other central nervous system effects. Severe eye irritant. May result in permanent tissue damage. Skin irritant. Causes allergic skin reaction.

FIRST AID

Seek prompt medical attention. Remove affected person from exposure. Give artificial respiration if breathing has stopped. Immediately flush eyes with large amount of water for at least 15 minutes. Flush skin with large amounts of water. Remove contaminated clothing. Induce vomiting immediately if victim is conscious. Never give anything by mouth to an unconscious person.

DIRECTIONS

COREXIT 8310 is a bactericide for use in treating water injection wells, associated surface piping, tankage, packing fluids, and drilling muds. It is not recommended for use in surface ponds which empty into rivers and lakes. Treatment levels vary from 10 to 1000 ppm depending on the severity of the problem and treatment method.

DISPOSAL:

1. Rinse the emptied container thoroughly and add the rinsings to treatment site.
2. Follow provincial instructions for any required additional cleaning of the container prior to its disposal or reconditioning

3. Dispose of the container in accordance with provincial requirements.
4. For information on the disposal of unused, unwanted product and the cleanup of spills contact the regional office of Environment Canada.
5. For small spills. Recover free liquid. Soak up residue with solids absorbent. DO NOT FLUSH INTO SURFACE STREAMS. INFORM ENVIRONMENT CANADA AS IN #4.

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))