

93.05.27
2001E

KILLEX WEED BAR

DOMESTIC

HERBICIDE

NET WEIGHT: 1.13 kg

Coverage: 930 m²

Controls: bedstraw, chickweed, black medick, heal-all, knotweed, ragweed, shepherd's-purse, devil's paintbrush, buttercup, English daisy and other 2,4-D susceptible weeds.

GUARANTEE:

2,4-D acid	14.25%
mecoprop (d-isomer) acid	7.50
dicamba	1.40%

READ THE LABEL BEFORE USING

REGISTRATION NO.: 18,118
PEST CONTROL PRODUCTS ACT

CIBA-GEIGY CANADA LTD.
Plant Protection Division
6860 Century Avenue
Mississauga, Ontario
L5N 2W5

GENERAL INFORMATION

CONTROLS: DANDELIONS, PLANTAIN, CLOVER, CREEPING CHARLIE AND MANY OTHER LAWN WEEDS

KILLEX (R) WEED BAR is a ready-to-use, non-volatile weed killer bar containing KILLEX. Controls many broadleaved weeds in lawns including dandelions, plantains, clover, bedstraw, ground ivy (creeping Charlie), chickweed, black medick (yellow clover), heal-all, knotweed, ragweed, shepherds-purse, devil's paintbrush, buttercup, English daisy and other 2,4-D susceptible weeds.

Easy to use. Requires no mixing, spraying or spreader.

DIRECTIONS FOR USE AND APPLICATION:

HOW TO USE: Remove bar from package and bag. Bend sides of tray away from bar and lift out bar. Allow bar to warm to working

temperature (18 - 27'C) before use. Tie ends of string through circular punchouts in cardboard divider. Drag the bar slowly over the complete area to be treated. Walk slowly so the bar will not skip or shudder. Make two applications at right angles to each other. Grass may be treated right up to the edge of flower beds and trees, but do not touch any bordering plants. Covers approximately 930 m2 when used as directed.

CAUTION: Do not use when temperature is above 27'C or below 18'C. Do not use when lawn has brown areas caused by stress of heat or drought.

WHEN TO USE: Apply during active growing season. For best results, apply one to three days after mowing grass and mow the lawn three to six days after the first application. Wind, rain and lawn watering will not affect the treatment. Repeat application procedure after second mowing. Treatment in fall will ensure a dandelion-free lawn the next spring.

RAIN PROOF: The active ingredient is dissolved in wax which is impervious to water. Rain or watering the lawn will not remove the herbicide deposit from the treated weed foliage.

WHAT TO LOOK FOR: Twisted growth of weeds should appear in about a week after treatment. Some hard-to-kill weeds such as ground ivy may take 4-6 weeks to die. If new weeds germinate from drifting seeds, repeat application when new plants pass grass level.

PRECAUTIONS:

KEEP OUT OF REACH OF CHILDREN AND ANIMALS. Avoid contact with skin, eyes or clothing. Do not use on newly seeded lawns until after the third mowing. Do not touch bar to flowers, shrubs, trees or other valuable plants. When mowing a treated lawn for the first time, do not blow grass cuttings onto flowers or other desirable plants. Do not store near seed, fertilizer or other pesticides.

Dispose of empty container in household garbage.

FIRST AID: In case of skin contact, wash well with soap and water.

NOTICE TO USER: This control product is to be used only in accordance with the directions on this label. It is an offence under the PEST CONTROL PRODUCTS ACT to use a control product under unsafe conditions.

NOTICE TO BUYER: Seller's guarantee shall be limited to the terms set out on the label and subject thereto, the buyer assumes the risk to persons or property arising from the use or handling of this product and accepts the product on that condition.

IN CASE OF EMERGENCY INVOLVING A MAJOR SPILL, FIRE OR POISONING
CALL 1-800-267-6351

(R) KILLEX is a registered trademark of CIBA-GEIGY CANADA LTD.

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))