

92.03.23

CLEAN CROP(R)

2,4-D ESTER 500

HERBICIDE

COMMERCIAL

WARNING          POISON

READ THE LABEL BEFORE USING

GUARANTEE: 2,4-D (present as Iso Octyl ester)  
470 g/L (isomer specific)

REGISTRATION NO. 10257  
PEST CONTROL PRODUCTS ACT

NET: 4 L

FIRST AID: If swallowed, do not induce vomiting. In case of contact, flush eyes and skin with plenty of water; for eyes get medical attention. Remove contaminated clothing and wash before re-use.

UNITED AGRI PRODUCTS  
R.R. #2  
Dorchester, Ontario N0L 1G5

#### DIRECTIONS FOR USE

MIXING DIRECTIONS: Fill your spray tank half full of water, then add 2,4-D ESTER 500 at the rates given below, and finally add the balance of water. When mixing 2,4-D ESTER 500 with oil, add the chemical to the oil and THOROUGHLY agitate or shake for several minutes.

LAWN & TURF WEED CONTROL: Use 2.4 - 3 L of 2,4-D ESTER 500 per 2000 L of water to cover 1 ha. If lawns begin to brown, water heavily. Use the lower rates under rapid growing conditions, or on hot dry days, or in a dry climate. Do not use on newly seeded

lawns, bent grasses, or when there is any danger of drift. Do not spray for several days after mowing.

**HARDY WEEDS:** such as Morning glory, Thistle, etc. - use at the rate of 50 mL/10 L of water and spray plants to the point of run-off. Treat weeds when actively growing.

**WOOD GROWTH OR BRUSH:** Use 100 mL per 10 L of water and spray to the point of run-off. Be sure to obtain complete coverage. Repeat application if necessary. Spray when plants are tender and actively growing, and under 2.5 m in height.

**STUMP KILLING:** Use 2,4-D ESTER 500 at the rate of 30 mL-40 mL/L of water, kerosene, or strained waste oil. Spray stumps and any exposed parts of roots thoroughly. Be sure to obtain complete coverage. Apply with a brush or sprayer. For 2,4-D resistant species, such as Common blackberry, Hawthorn, Lambkill, Lilac, Maple, Wild currant, Wild rose - use DIPHENOPROP BK 700. Refer to local agricultural authorities.

**CEREALS:** Barley, Bye, Wheat (not underseeded to legumes): Use 2,4-D ESTER 500 at the rate of 0.6 L - 1.2 L with sufficient water to give complete coverage of 1 ha. Use higher rates for more resistant weeds, heavy weed infestations, or under cool weather conditions. Spray at the 3-leaf stage of growth. Do not spray growth underseeded to legumes unless certain damage to legumes can be tolerated.

**OATS:** Oats are more sensitive to 2,4-D ESTER 500 and great care should be taken if this crop has to be sprayed. Use at the rate of 0.6 L/1 ha. Apply when the oats are between the 3-leaf and flag-leaf stage. Do not apply after the flag-leaf stage.

**PRECAUTIONS:** KEEP OUT OF REACH OF CHILDREN. Avoid contact with eyes, skin and clothing. Harmful if swallowed. Causes eye irritation, may cause skin irritation. Wash well after using. Do not apply in the vicinity of desirable susceptible plants. Do not use around desirable shrubs or trees or on areas where run-off may affect plants. Do not allow spray, spray mist, visible or invisible vapours, or air containing mist or vapours to contact susceptible plants. Do not permit spray, or air containing spray mist to contact susceptible plants as even minute quantities may cause damage to plants during both the growing or dormant period. Coarse sprays are less likely to drift. Applications should be carried out only when there is no hazard from drift. For aerial application exercise special care:

1) Do not spray in winds exceeding 8 kmph. 2) Do not spray in dead calm near sensitive plants. The "cloud" of suspended droplets may drift onto sensitive plants when the wind comes up. 3) Spray only when the wind is blowing away from a sensitive crop, shelterbelt or garden. Do not mix with liquid fertilizers containing liquid nitrogen. Do not contaminate any body of water. Do not contaminate foods or feeds. Do not store near foods, feeds, seeds, fertilizers, insecticides, fungicides, herbicides or other pesticides other than those containing 2,4-D. Wash equipment thoroughly after use. Do not use the same sprayer for other susceptible crops. Do not re-use empty container.

FIRST AID: In case of contact, flush eyes and skin with plenty of water; for eyes get medical attention. Remove contaminated clothing and wash before re-use. If swallowed, do not induce vomiting.

TOXICOLOGICAL INFORMATION: May be absorbed through the skin. Contains a petroleum solvent.

DISPOSAL:

1. Rinse the emptied container thoroughly and add the rinsings to the spray mixture in the tank.
2. Follow provincial instructions for any required additional cleaning of the container prior to its disposal.
3. Make the empty container unsuitable for further use.
4. Dispose of the container in accordance with provincial requirements.
5. For information on the disposal of unused, unwanted product and the clean-up of spills contact the regional office of Environmental Protection, Environment Canada.

NOTICE TO USER: This control product is to be used only in accordance with the directions on this label. It is an offence under the Pest Control Products Act to use a control product under unsafe conditions.

NOTICE TO BUYER: Seller's guarantee shall be limited to the terms set out on the label and subject thereto, the buyer assumes the risk to persons or property arising from the use or handling

of this product and accepts the product on that condition.

\*\*\*\*\*

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))