

07-FEB-2000

EXPULSER

INSECTICIDE

CONCENTRATE
LIQUID

BARN AND LIVESTOCK

Dairies, stables, hog, dairy and beef barns, milking parlors,
milk rooms, horses stables

CONTROLS
flies
mosquitoes
gnats

AGRICULTURAL

SHAKE WELL BEFORE USING

READ LABEL BEFORE USING

GUARANTEE:

Pyrethrins	2.50%
Piperonyl Butoxide	5.00%
N-Octyl Bicycloheptene	
Dicarbomixide	8.34%

REGISTRATION NO. 20768

PEST CONTROL PRODUCTS ACT

INTERAG INC.
217 Larivee, Vaudreuil
QC. J7V 8P5
TEL (514) 455-3377
1-800-590-3377

750 mL

SPACE SPRAY

To kill flies, mosquitoes, gnats and flying moths: dilute 750 mL of EXPULSER concentrate with 18 LITRES of water (in case of dilution for packaging ready-to-use solutions, use distilled water or deionized water only). Mix thoroughly until a uniform clear emulsion forms. EXPULSER diluted concentrate can be used

with an automatic computerized U.L.V. fogging device or portable hand fogger. For heavy infestation set the system to deliver 300 mL per day for 2 days. After, set the system to 75 mL for maintenance. If infestation repeats you may return to higher dosage 300 mL per day for 2 days and so on. Apply as a fog of fine mist directing spray upwards to all parts of the room.

USE AREAS

Hog, dairy and beef barns, horse stables, stables, dairies and other areas with at least 1350 cubic metre of free air space where flies, mosquitoes and gnats are an annoyance. For heavy infestation set the system or hand fogger to deliver 300 mL per day for 2 days. After, set the system or use hand fogger to deliver 75 mL for maintenance. If infestation repeats you may return to higher dosage, 300 mL per day for 2 days and so on. Remove all animals from treated area and do not remain in the room. Close doors and windows. Ventilate thoroughly for at least 30 minutes before animal re-entry.

PRECAUTIONS:

KEEP OUT OF REACH OF CHILDREN

Flammable mixture. Product contains Petroleum distillate. Wear mask or respirator when applying spray mist. Wear protective clothing. Harmful if swallowed. Avoid eye contact. In dairies, use only when plant is not in operation. Cover or remove all milk, milking implements, food, packaging materials and utensils before treatment. Any treated surface that may contact food, should be washed thoroughly and rinsed with potable water before reuse. Remove pets, birds and cover fish aquariums before spraying. Keep container closed. Do not store, pour or spill near heat or open flame. Keep out of any body of water. Do not contaminate water when cleaning equipment, or disposal of water waste. Apply this product only as specified on this label. Do not pack diluted product in metallic containers or cans; brown glass bottles are preferred. This concentrate does not emulsify spontaneously: it must be agitated thoroughly.

DISPOSAL:

1. Rinse the empty container thoroughly and add the rinsings to the spray mixture in the tank.
2. Follow provincial instructions for any required additional cleaning of the container prior to its disposal.
3. Make the empty container unsuitable for further use.
4. Dispose of the container in accordance with provincial requirements.
5. For information on the disposal of unused, unwanted product, and for clean-up of spills, contact the regional office of Environmental Protection, Environment Canada.

FIRST AID

If concentrate is swallowed, do not induce vomiting due to risk of aspiration hazard from petroleum distillate. If diluted formulation ingested, try to induce vomiting by giving one or two glasses of water and tickling the back of the throat. Contact physician immediately. If in contact with eyes, rinse with water. If on skin, wash with soap and water. If irritation develops or persists, consult physician.

NOTICE TO USER

This product is to be used only in accordance with the directions on this label. It is an offence under the Pest Control Products Act to use a control product under unsafe conditions.

NOTICE TO BUYER

Seller's guarantee shall be limited to the terms set out on the label and subject thereto, the buyer assumes the risk to persons or property arising from the use or handling of this product and accepts the product on that condition.

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))