

91.05.08

CLEAN CROP(R)
ANIMAL INSECT POWDER
COMMERCIAL

For farm animals and pets
Controls Lice, Ticks, & Fleas on
Beef Cattle, Sheep, Horses & Dogs.

READ THE LABEL BEFORE USING.

REGISTRATION NO. 10995 PEST CONTROL PRODUCTS ACT

GUARANTEE: Gamma B.H.C. (from lindane) 1.0%

UNITED AGRI PRODUCTS CANADA INC.
P.O. Box 22116
London, Ontario
N6C 4N0

NET: 800 g

29271

03/91

DIRECTIONS FOR USE:

LIVESTOCK: Apply powder to animal and rub into hair to the skin.
For Lice, repeat in 14-18 days.

BEEF CATTLE: To control Horn flies, Lice, and Ticks.

SHEEP, GOATS, and HORSES: To control Fleas, Lice, and Ticks.

PIGS: To control Fleas, Lice, and Mange mites.

LIMITATIONS ON LIVESTOCK:

1. Do not use on colts or calves under three months of age.
2. Do not use on sick or emaciated animals.
3. Do not use on dairy animals or in milk rooms.
4. Do not use on meat animals within 30 days of slaughter.

DOMESTIC ANIMALS:

DOGS: To control Fleas, Mites, and Ticks, dust the animal and

rub into coat to skin. Repeat weekly if necessary. Use only on dogs and premises as indicated.

DOG KENNELS: To control Fleas, and Ticks, dust bedding and other surfaces where insects may be hiding.

LIMITATIONS ON DOMESTIC ANIMALS:

Do not use on cats or nursing puppies. Consult veterinarian before using on pregnant animals.

PRECAUTIONS: KEEP OUT OF REACH OF CHILDREN. Avoid skin contact; do not inhale or swallow. Wash thoroughly after handling or using, and before eating or smoking. Wash contaminated clothing before re-use. Do not contaminate ponds, streams, or lakes. Burn or bury empty containers. Lindane is toxic to fish, birds, and other wildlife. Avoid treating areas inhabited by wildlife.

FIRST AID: If swallowed, induce vomiting by inserting finger down throat. For eyes, flush with plenty of water for 15 minutes and get medical attention. In case of skin contact, wash with soap and water. In case of accident, call a doctor immediately.

TOXICOLOGICAL INFORMATION: Symptoms of poisoning: nausea, vomiting, hyperirritability, convulsions and/or coma, and other symptoms typical of organochlorine insecticide poisoning. Barbiturates may be given to control convulsions. Oxygen may be indicated. Keep the patient quiet. Avoid the use of morphine and adrenaline.

DISPOSAL:

1. Follow provincial instructions for any required additional cleaning of the container prior to its disposal.
2. Make the empty container unsuitable for further use.
3. Dispose of the container in accordance with provincial requirements.
4. For information on the disposal of unused, unwanted product and the clean-up of spills contact the regional office of Environmental Protection, Environment Canada.

NOTICE TO USER: This control product is to be used only in accordance with the directions on this label. It is an offence under the Pest Control Products Act to use a control product under unsafe conditions.

NOTICE TO BUYER: Seller's guarantee shall be limited to the terms set out on the label and subject thereto, the buyer assumes the risk to persons or property arising from the use or handling of this product and accepts the product on that condition.

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))