

85.04.25

VAPONA *
LIVESTOCK SPRAY
LIQUIDE A PULVERISER

INSECTICIDE AGRICULTURAL AGRICOLE

For control of flies on cattle

Pour la destruction des mouches
sur les vaches laitières, les boeufs de
boucherie et les chevaux

GUARANTEE:
dichlorvos 0.9%

GARANTIE:
dichlorvos 0,9%

REGISTRATION NO. 8370
PEST CONTROL PRODUCTS ACT

NO. D'ENREGISTREMENT 8370
LOI SUR LES PRODUITS ANTIPARASITAIRES

READ THE LABEL BEFORE USING
LIRE L'ETIQUETTE AVANT L'EMPLOI

4 LITRES

CIBA-GEIGY CANADA LTD./LTEE
Agricultural Division
6860 Century Avenue
Mississauga, Ontario
L5N 2W5

DIRECTIONS:

VAPONA* LIVESTOCK SPRAY is a specially prepared, ready-to-use insecticide suitable for use in any conventional hand, microsol or automatic spray equipment.

When applied to dairy cattle, beef cattle and horses it reduces the populations of such annoying pests as stable flies, horn flies, and house flies.

Dairy and Beef Cattle:

Spray flanks, legs, brisket, head and neck on each side of the animal, beginning at the tail and moving forward. Apply sufficient spray to dampen hair, usually about 30 to 60 mL depending on the size of the animal. One or two applications per day may be necessary during period of high fly population and persistent annoyance. Do not overspray dairy cattle.

Horses:

Spray lightly paying particular attention to areas where flies are congregating.

CAUTION:

Keep out of reach of children. Keep in original container during storage. Handle and apply only as recommended and at recommended rates. Do not store with or contaminate feed or foodstuffs. Do not contaminate streams, lakes, ponds, irrigation water, water used by livestock, or water used for domestic purposes. Do not contaminate milk or milking utensils. Keep product away from fire, open flames, lighted electric bulbs and other sources of heat.

Harmful if swallowed, inhaled or absorbed through the skin. Wash thoroughly with soap and water after handling and before eating or smoking.

FIRST AID:

If swallowed, induce vomiting immediately. This should be done by introducing a finger into the throat. NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON. Keep patient prone and quiet. Transport the patient immediately to the nearest physician.

TOXICOLOGICAL INFORMATION:

Atropine is antidotal.

DISPOSAL:

Destroy empty container and dispose in garbage.

NOTICE TO USER:

This control product is to be used only in accordance with the directions on this label. It is an offence under the PEST CONTROL PRODUCTS ACT to use a control product under unsafe conditions.

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))