

26-JUN-1996

GREEN CROSS(R)

MECOPROP

COMMERCIAL

LIQUID HERBICIDE

Net Contents: 10 Liters

For control of chickweed and other broadleaves
in golf greens and lawns.

GUARANTEE:

Mecoprop (d-isomer equivalent).....150 g/L

READ THE LABEL BEFORE USING

REGISTRATION NO.: 09191
PEST CONTROL PRODUCTS ACT

The Solaris Group
600 - 25 Watline Avenue,
Mississauga, Ontario
L4Z 2Z1

MECOPROP LIQUID HERBICIDE: For control of chickweed and other broadleaves in golf greens and lawns.

DIRECTIONS FOR USE: Mecoprop herbicide will not injure fine seedling grasses, including bent grasses or established turf grasses when used as directed. Controls chickweed, plantain, black medick and clover in turf grasses.

SEEDLING GRASSES (NEW GREENS): Use 55 mL in 10 litres of water per 100 square meters (5.5 L in at least 220 L water per hectare) for control of chickweeds, black medick, clover and plantains.

ESTABLISHED TURF (GREENS AND LAWNS): Apply 85 mL per 100 square

meters in 10 litres of water (8.5 L in at least 220 L per hectare).
Keep off area until dry.

NOTE: Do not apply to bent grasses in the heat of summer. If dandelions are a problem add 2,4-D at the usual rate except on bent grasses where the rate of 2,4-D should not exceed 275 grams acid equivalent per hectare.

FERTILIZER TANK MIX: Mecoprop is compatible with liquid fertilizers such as Green Cross Lawn Green Liquid® 15-5-5.

FIRST AID: In case of contact, immediately wash skin with plenty of soap and water. If in eyes splash repeatedly with clean water for at least 15 minutes, followed by a saline douche. Get medical attention. If swallowed, induce vomiting until vomit fluid is clear. Take patient to hospital taking labelled container with you or contact a poison control centre.

WARNING: KEEP OUT OF REACH OF CHILDREN. Do not allow others such as children and pets on treatment area during application or to re-enter treated areas until spray has dried. Keep in original container during storage. Do not allow spray, spray mist, visible or invisible vapours, or air containing mist or vapours to contact plants other than those being sprayed.

If Mecoprop susceptible plants are growing within a distance of 400 metres from the area being sprayed, spray only when there is a light breeze away from the susceptible plants. Spray drifting can be reduced by using high volume sprays under low pressure, coarse sprays and drop nozzles. Susceptible crops include grapes, tomatoes, tobacco, sugar beets, sunflowers, beans, turnips, cauliflower and cabbage as well as many other field, vegetable, ornamental and fruit crops. Do not contaminate streams, lakes, ponds, irrigation water, water used for livestock or domestic purposes. Do not store open container near seeds, feeds, fertilizers or pesticides including insecticides, fungicides and weed killers other than those containing Mecoprop, 2,4-D or brushkiller. Sprayers which have contained Mecoprop should not be used to apply other pesticides to Mecoprop susceptible crops.

CAUTION: Do not graze the treated crops or cut for hay; there is not sufficient data available to support such use.

DECONTAMINATION AND DISPOSAL:

Follow the following steps for disposable containers:

1. Rinse the emptied container thoroughly and add the rinsings to the spray mixture in the tank.
2. Follow provincial instructions for any required additional cleaning of the container prior to its disposal.
3. Make the empty container unsuitable for further use.
4. Dispose of the container in accordance with provincial requirements.
5. For information on the disposal of unused, unwanted product, and the cleanup of spills, contact the Provincial Regulatory Agency or the Manufacturer.

BULK CONTAINERS: Bulk containers are refillable. If the container is to be refilled, do not rinse with any material or introduce any pesticide other than Mecoprop. Reseal and return to an authorized Green Cross bulk site. Container must be returned to your distributor with the seal unbroken. A charge will be levied for a broken seal to cover decontamination costs. Before filling inspect thoroughly for damage such as cracks, punctures, bulges, dents, abrasions and damaged or worn threads on closure devices. Check for leaks after filling and before transportation. Do not refill or transport damaged or leaking containers. For information on the disposal of unused, unwanted product and the cleanup of spills, contact the Provincial Regulatory Agency or the Manufacturer. If the container is not being refilled, refer to the label section "DECONTAMINATION AND DISPOSAL".

NOTICE TO USER: This control product is to be used only in accordance with the directions on this label. It is an offence under the PEST CONTROL PRODUCTS ACT to use a control product under unsafe conditions.

NOTICE TO BUYER: Seller's guarantee shall be limited to the terms set out on the label and subject thereto, the buyer assumes the risk to persons or property arising from the use or handling of this product and accepts the product on that condition.

Product Use Information: 1-800-668-5669

(R)Registered trademark of Monsanto Company, Monsanto Canada Inc. Licensee

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))